THE JOURNAL OF NERVOUS AND MENTAL DISEASE
Copyright © 2013 by Lippincott Williams & Wilkins

# Subject Index Volume 201


**A**

Acute ischemic stroke, in association between cerebral lesions and emotional changes, by Alberta Stroke Program Early CT Score (ASPECTS), 400
Addicted veterans, residential placement, 567
Addiction rehabilitation, comorbid internet addiction, in male clients, 934
Adolescents
  anxiety disorders and rapid cycling, 1059
  in association with borderline personality disorder (BPD), and temperamental patterns, in female, 109
  in association with psychotic-like symptoms (PLS) and violent recidivism, in detained male, 478
  inpatient measure, of global psychiatric symptom severity, 971
  measure of psychological health and well-being, using Schwartz Outcome Scale-10 (SOS-10), 216
  related to stigma with psychosis, for mental health treatment, in Middle East, 68
  the relation between family adversity and social anxiety, in Taiwan, 964
  suicidal ideation and behavior in Puerto Rica, 587
  with trauma profile in relation with schizophrenia psychopathology, and brain-derived neurotrophic factor (BDNF), in Egypt, 23
Adult attachment style, associated with delusional-like experiences (DLE), in women, by community-based surveys, 525
Adults
ADHD *versus* cognitive behavioral group therapy, psychoeducation, 894
  prediction by impulsive self-injurious behavior (SIB), in women, 72
Adverse drug events, psychotropic drug safety research, 714
Adverse life events, associated with schizotypal personality traits, for traumatic intrusions, 208
Age of onset, bipolar disorder, 674
Aggression, in Iraq and Afghanistan war era veterans, 872
Alcohol-dependent patients, in association of impulsivity and psychosocial predictors, 43
Alzheimer's disease (AD), in association with sleep disturbances, and neuropsychiatric symptoms with antidementia treatment, 251
Anorexia nervosa, attitudes toward life and death and suicidality, inpatient female adolescents with eating disorders, 1065
Antipsychotics, psychiatrists' attitudes, long-acting injectable, 553
Anxiety disorders
  in association with cerebral lesions, in acute ischemic stroke patients, by Alberta Stroke Program Early CT Score (ASPECTS), 400
  and depressive disorders, associated with personality dimensions, in Turkish-Dutch, Moroccan-Dutch, and Native Dutch, 421
  diagnosis by thought-action fusion (TAF), with specificity and treatment effects, 407
  nightmare frequency, nightmare distress and psychopathology in female victims, 767
  and rapid cycling, 1059
  unique and interactive roles, experience and expression in suicidality, 959
Anxiety sensitivity
  in effect with independent and interactive sleep quality, posttraumatic stress disorder (PTSD) symptoms, 48
  premenstrual dysphoric disorder and premenstrual syndrome, health perceptions and somatic sensations, 780
Anxious arousal, posttraumatic stress disorder's latent structure, in elderly bereaved European trauma survivors, 901
Assertive community treatment (ACT), implicit and explicit stigma, mental illness, 1071
Assessment
  body dysmorphic disorder, psychometric evaluation of beliefs scale, 640
  inpatient measure, of global psychiatric symptom severity, 971
Asthma, in Puerto Rican older children and adolescents, 587
Attachment style
  associated with delusional-like experiences (DLE), in adult women, by community-based surveys, 525
  mental disorders *versus* suicidality, 579
Attention-deficit/hyperactivity disorder (ADHD)
  and five-factor model traits, in clinical sample, 848
  parental perceptions of academic performance and attainment of children with, 598
  *versus* cognitive behavioral group therapy, psychoeducation for adults with, 894
  with and without borderline personality disorder (BPD), on impulsivity in relation to stress, 116
Attention/processing speed (APS), social impairment 18 years later in mood disorders, 824
Attitudes, long-acting injectable antipsychotics, in clinicians, 553

**B**

Beck Depression Inventory-II (BDI-II), measure for structure of depression symptoms, for 1 month of psychiatric treatment, 271
Behavioral consequences, intolerance of uncertainty with poor behavioral performance, 760
Behavioral health
  behavioral screening measures delivered, with smartphone app, 991
  combat exposure *versus* negative behavioral and psychiatric conditions, 572
Bereavement, posttraumatic stress disorder's latent structure, in elderly European trauma survivors, 901
Bipolar disorder (BD)
  anxiety disorders and rapid cycling, 1059
  associated with quality of life and marital adjustment, among remitted patients, in rural setting, 334
  attention/processing speed, social impairment 18 years later in mood disorders, 824
  in late life, 674
  and major depressive disorder (MDD), with patient- *versus* family-reported family functioning, 377
  patient's reevaluation, on manic episode, 686
  problems with overdiagnosis and underdiagnosis, in patients of, 435
  and schizophrenia, in association between social cognition and clinical insight, 445
  and schizophrenia, with object relations associated, with reality testing and social withdrawal, 222
Body dysmorphic disorder, brown assessment, psychometric evaluation of beliefs scale, 640
Body image
  attitudes toward life and death and suicidality, inpatient female adolescents with eating disorders, 1065
  eating disorders, attitudinal and behavioral features, 592
  and noticeable self-inflicted scars, 1079
Books reviewed
  Adinoff, B., Stein, E.A. (Eds) *Neuroimaging in Addiction,* 444
  Brown, J.W. *Neuropsychological Foundations of Conscious Experience,* 724
  Buchanan, A. and Norko, M.A. (Eds) *The Psychiatric Report: Principles and Practice of Forensic Writing,* 80
  Callahan, D. *In Search of the Good: A Life in Bioethics* and *The Roots of Bioethics: Health, Progress, Technology, Death,* 541
  Kaminer, Y., and Winters, K.C. Eds. *Clinical Manual of Adolescent Substance Abuse Treatment, 1004*
  MacKinnon, D.F. *Trouble in Mind: An Unorthodox Introduction to Psychiatry,* 542
  National Collaborating Centre for Mental Health: *Depression in Adults With a Chronic Physical Health Problem London,* 916
  Panksepp, J. and Biven, L. *The Archaeology of Mind,* 719
  Parker, G. *A Piece of My Mind,* 915
  Plakun, E.M. *Treatment Resistance and Patient Authority,* 539
  Ravindranath, D., Riba, M., Wulsin, L. and Rubenfire, M. Eds. *Psychiatry and Heart Disease: The Mind, Brain and Heart,* 80
  Regier, D.A., Narrow, W.E., Kuhl, E.A., and Kupfer, D.J. Eds. *The Conceptual Evolution of DSM-5,* 828

Rustin, J. *Infant Research and Neuroscience at Work in Psychotherapy: Expanding the Clinical Repertoire,* 721
Stiddart, K., Burke, L. and King, R. *Asperger Syndrome in Adulthood: A Comprehensive Guide for Clinicians,* 830
Yeager, M. and Yeager, D. *Executive Function & Child Development,* 1005
Zohar, J. (Ed.) *ObsessiveCompulsiveDisorder,* 831
Zvolensky, M.J., Bernstein, A., Vujanovic, A.A. (Eds) *Distress Tolerance—Theory, Research, and Clinical Applications,* 723
Borderline personality disorder (BPD)
associated with panic disorder (PD) and panic attacks (PA), in relation to suicide attempts, and influence of affective dysregulation, 130
associated with temperamental patterns, in female adolescents, 109
in association between measures of traits and state disgust, 105
conceptualization development, 88
offenders with systems training for emotional predictability and problem solving (STEPPS) group treatment, 124
with patterns of interpersonal problem, 94
phenomenology of, 1026
in relation with emotional intelligence (EI), 99
scope of treatment for, 143
with and without attention-deficit/hyperactivity disorder (ADHD), role of stress on impulsivity in, 116
Brain-derived neurotrophic factor (BDNF), and schizophrenia psychopathology in relation, with trauma profile in Egyptian adolescents, 23
Bulimia nervosa, attitudes toward life and death and suicidality, inpatient female adolescents with eating disorders, 1065

## C

Catatonia, in relation with neuroleptic malignant syndrome, electroconvulsive therapy (ECT) for, 36
Child abuse
early life stress role, in adult psychiatric disorders, 1007
nightmare frequency, nightmare distress and psychopathology in female victims, 767
Childhood maltreatment
in relation with dissociation, posttraumatic stress symptoms and depression, in adult psychiatric patients, 471
as sexual, physical, and emotional abuse and neglect, associated with adult personality pathology, 234
Childhood neglect, nightmare frequency, nightmare distress and psychopathology in female victims, 767
Childhood physical and sexual abuse prevalence, associated with psychiatric diagnoses, in veterans, 348
Childhood trauma, testing a model of the relationship between childhood sexual abuse and psychosis, first-episode psychosis group, 941
Children and adolescents, anxiety disorders and rapid cycling, 1059
Chlorpromazine, drugs in context, 926
Cincinnati criteria, patient's reevaluation, bipolar disorder on manic episode, 686
Clinical high risk (CHR) syndrome, for psychosis prevention, in Asian American youth, 484
Clinical insight, associated with social cognition, in schizophrenia and bipolar disorder, 445
Clinical trials, psychotropic drug safety research, 714
Cognitive behavior therapy (CBT), for generalized anxiety disorder in primary care, for late-life anxiety, by pilot study, 414
Cognitive impairments, associated with obsessive-compulsive symptoms (OCS), in unaffected relatives with psychosis, 30
Cognitive insight, delusion proneness in nonclinical individuals and, 659
Cognitive remediation
neurocognition, theory of mind, and community functioning, with serious mental illness, 786
treatment-resistant depression, online homework role, 780
Cognitive therapy, defense mechanisms change and coping patterns, 2-year-long psychotherapy and psychoanalysis for recurrent depression, 614
Cognitive-behavioral therapy (CBT), noncardiac chest pain and panic disorder, incremental cost-effectiveness of pharmacotherapy, 753
Combat exposure
military mental health, 1034
*versus* negative behavioral and psychiatric conditions, 572
Comorbidity
anxiety disorders and rapid cycling, 1059
internet addiction, in male clients of inpatient addiction rehabilitation centers, 934
major depressive disorder and posttraumatic stress disorder, after Hurricane Katrina, 841
Compulsion, diagnostic and therapeutic dilemma, in psychotic patient, 818
Conduct disorder (CD), DSM-IV and DSM-5, in detained adolescents, 736
Confirmatory factor analysis, posttraumatic stress disorder's latent structure, in elderly bereaved European trauma survivors, 901
Conflicts of interest (COI), disclosures in psychiatry, 84
Conscientiousness, ADHD and five-factor model traits, in clinical sample, 848
Coping
defense mechanisms change and, 2-year-long psychotherapy and psychoanalysis for recurrent depression, 614
in pregnant Iranian women, 602
and psychological distress with drug law enforcement, in patients using medical cannabis, 292

## D

Deception, theory of mind in schizophrenia, neuropsychological functions influence, 609
Defense mechanisms
health-related quality of life, hemodialysis patients, 621
recurrent depression, 2-year-long psychotherapy and psychoanalysis, 614
Delayed sleep phase disorder, obsessive-compulsive symptoms and characteristics in individuals with, 877
Delusional disorder, somatic type (DDST), associated with delusional trimethylaminuria (TMAU), with olfactory reference syndrome (ORS), 537
Delusional-like experiences (DLE), associated with adult attachment style, in women, by community-based surveys, 525
Delusions
body dysmorphic disorder, psychometric evaluation of beliefs scale, 640
diagnostic and therapeutic dilemma, in psychotic patient, 818
formation in nonclinical individuals, and cognitive insight, 659
with religious content in schizophrenia, 665
socioeconomic status and paranoia, 698
Depersonalization (DP), dizziness and vertigo symptoms, in German general population, 629
Deployment, combat exposure *versus* negative behavioral and psychiatric conditions, 572
Depression
and anxiety disorders, associated with personality dimensions, in Turkish-Dutch, Moroccan-Dutch, and Native Dutch, 421
associated with impairments in social and interpersonal functioning, in relation with mentalization, using Reflective Functioning Scale, in female, 202
associated with quality of life and marital adjustment, among remitted patients, in rural setting, 334
in association with cerebral lesions, in acute ischemic stroke patients, by Alberta Stroke Program Early CT Score (ASPECTS), 400
attention/processing speed, social impairment 18 years later in mood disorders, 824
correlates of irritability, in college students with, 953
and dissociation, posttraumatic stress symptoms, in association with childhood maltreatment, in adult psychiatric patients, 471
factor structure, measured by Beck Depression Inventory-II (BDI-II), for 1 month of treatment, 371
with informed consent, for treatment with placebo medication, 345
military mental health, 1034
predictors associated with continuity of, outpatient treatment after discharge, 519
psychosis in persons, with methamphetamine abuse, receiving psychiatric treatment, 1084
rating of family functioning, with self-report Family Assessment Device (FAD) *versus* observer-rated McMaster Clinical Rating Scale (MCRS), 384
suicide, in medical doctors and nurses, 987
with and without permissive attitude, toward suicide for future intent, in Korea, 286
Derealization, dizziness and vertigo symptoms, in German general population, 629
*Diagnostic and Statistical Manual of Mental Disorders, 5th Edition (DSM-5),* 727
conduct disorder subtyping, in detained adolescents, 736
personality disorder, 729
in somatic symptom disorder (SSD), 530
Disgust proneness/sensitivity and state disgust, associated with borderline personality disorder (BPD), 105

Disruptive behavior disorder, DSM-IV and DSM-5 conduct disorder subtyping, in detained adolescents, 736
Dissociative disorders, peer-reviewed international research on, 353
Dissociative identity disorder (DID)
in adults, research on scientific and etiological status, 5
associated with sociocognitive and posttraumatic models, 439
diagnosis and research among patients from, 440
sociocognitive model (SCM) of, 438
Dizziness, and vertigo symptoms, in German general population, 629
Domestic violence, in pregnant Iranian women, 602
Dreaming, nightmare frequency, nightmare distress and psychopathology in female victims, 767
*DSM-5. See Diagnostic and Statistical Manual of Mental Disorders, 5th Edition (DSM-5)*
Dual disorder, psychois in persons with methamphetamine abuse, receiving psychiatric treatment, 1084
Dysphoria, PTSD, within dysphoria model, 907
Dysphoric arousal, posttraumatic stress disorder's latent structure, in elderly bereaved European trauma survivors, 901

E

Early life stress (ELS) role, in adult psychiatric disorders, 1007
Eating disorders (ED)
mentalization in self *versus* parent representations, and working models of parents, and protective factors from distress, 510
obesity, and major depressive disorder (MDD) as mental health disorders, *versus* stigmatizing attitudes, 281
quality of life impairment, attitudinal and behavioral features, 592
Education professionals, suicide in medical doctors and nurses, 987
Elderly patients, prevention of suicide in, from national veteran's affairs database, 12
Electroconvulsive therapy (ECT), for catatonia in relation with neuroleptic malignant syndrome, 36
Emergency department, noncardiac chest pain and panic disorder, incremental cost-effectiveness of pharmacotherapy, 753
Emotion regulation, with systemic lupus erythematosus, in relation with mental representation of attachment, using adult attachment interview, 304
Emotional abuse and neglect, childhood maltreatment as, in relation with adult personality pathology, 234
Emotional freedom techniques (EFT), in treating posttraumatic stress disorder (PTSD) and psychological trauma symptom, in veterans, 153
Emotional intelligence (EI), associated with borderline personality disorder (BPD), 99
Emotions
associated with implicit attitudes and helping intentions, for mental health workers toward clients, 460
overinvolvement in schizophrenia, 833
Endogenous depression, melancholia and nonmelancholic depression, psychotic symptoms prevalence, 855
End-stage renal disease, psychological defensive profile of hemodialysis patients, health-related quality of life, 621
Epilepsy, in relation with temperament and personality traits, 365
Experience of violence, psychosis *versus* trauma among incarcerated men, 773
Expressed emotion, in schizophrenia, emotional overinvolvement, 833

F

Factor structure, measures internalized stigma, in relation with serious mental illness (SMI), using parents' internalized stigma of mental illness (PISMI) scale, 183
False-belief, theory of mind in schizophrenia, neuropsychological functions influence, 609
Family adversity *versus* social anxiety, among adolescent, in Taiwan, 964
Family functioning
family adversity *versus* social anxiety among adolescent, in Taiwan, 964
with patient- *versus* family-reports, in major depressive disorder (MDD) and bipolar I disorder, 377
with self-report Family Assessment Device (FAD) *versus* observer-rated McMaster Clinical Rating Scale (MCRS), in depressed patients and partners, 384
First episode psychosis (FEP)
in association with clinician-rated engagement, and premorbid social adjustment, 359
testing a model of the relationship between childhood sexual abuse and psychosis, 941
First-episode schizophrenia (FES), associated with psychopathological variables and insight, in psychosis risk syndrome (PRS) and multiepisode schizophrenia (MES), 229
Five-factor model
and ADHD, in clinical sample, 848
posttraumatic stress disorder (PTSD) for, using factorial invariance across gender, with three well-supported models, 145

G

Gender identity disorder, hormonal therapy, with self-esteem, mood, and quality of life in transsexualism, 996
Generalized anxiety disorder (GAD)
with cognitive behavior therapy (CBT) in primary care, for late-life anxiety, by pilot study, 414
diagnosis by thought-action fusion (TAF), with specificity and treatment effects, 407
panic attacks in, 52
Geriatric patients, suicide prevention in, from national veteran's affairs database, 12
Global functioning, hormonal therapy with self-esteem, mood, and quality of life in transsexualism, 996
Global symptom severity, of inpatient measure, 971

H

Hallucinations
diagnostic and therapeutic dilemma, in psychotic patient, 818
testing a model of the relationship between childhood sexual abuse and psychosis, first-episode psychosis group, 941
Health anxiety, premenstrual dysphoric disorder and premenstrual syndrome, health perceptions and somatic sensations, 780
Health care providers, knowledge and attitudes with mental disorders among, in HIV/AIDS services, in South Africa, 196
Health care use, dizziness and vertigo symptoms, in German general population, 629
Health disparities, borderline personality disorder (BPD) phenomenology, 1026
Health-related quality of life (QoL), psychological defensive profile, hemodialysis patients, 621
Hemodialysis, psychological defensive profile of, health-related quality of life, 621
Hoarding disorder, prevalence and correlates of difficulty discarding, 795
Homeless veterans, residential placement with addiction, 567
Hormonal therapy, with self-esteem, mood, and quality of life in transsexualism, 996
Hostility prediction, associated with clinical and sociodemographic factors, in schizophrenia, from EU-SOHO study, 464
Human immunodeficiency virus (HIV)
with association between cumulative traumatic experiences and sex, for posttraumatic stress disorder (PTSD) risk, in adults, 504
health care provider, knowledge and attitudes with mental health disorders detection, in South Africa, 196
Hypersalient evidence-hypothesis matches, on illusory correlations and illusion of control, for psychosis continuum, 319

I

Immigrants, associated with poor mental health, 645
Impact of patient stalking, of health care professionals, 560
Implicit association test (IAT), implicit and explicit stigma, mental illness, 1071
Implicit attitude, and explicit stigma, mental illness, 1071
Impulsive self-injurious behavior (SIB), prediction in adult women sample, 72
Impulsivity
associated with psychosocial predictors, in alcohol-dependent patients, 43
in patients with borderline personality disorder (BPD), with and without attention-deficit/hyperactivity disorder (ADHD), related to stress, 116
Incremental cost-effectiveness, panic disorder and noncardiac chest pain, pharmacotherapy, cognitive-behavioral therapies, 753
Indirect exposure to trauma, secondary traumatic stress among mental health providers, working with the military, 917
Inhibition, obsessive-compulsive symptoms and characteristics in individuals, with delayed sleep phase disorder, 877

Inpatient measure, of global psychiatric symptom severity, 971
Insight body dysmorphic disorder, psychometric evaluation of beliefs scale, 640
Intermittent explosive disorder, unique and interactive roles, anger experience and expression in suicidality, 959
Internalized stigma, in relation with serious mental illness (SMI), measured by factor structure, using parents' internalized stigma of mental illness (PISMI) scale, 183
Internet addiction, in male clients of inpatient addiction rehabilitation centers, 934
Interpersonal problem patterns, in borderline personality disorder (BPD), 94
Intervention veterans, residential placement with addiction, 567
Intolerance of uncertainty, with poor behavioral performance, 760
Intrusions
  obsessive-compulsive symptoms and characteristics in individuals, with delayed sleep phase disorder, 877
  testing a model of the relationship between childhood sexual abuse and psychosis, first-episode psychosis group, 941
Irreversible psychosurgical treatment, for obsessive-compulsive disorder (OCD) patients, in Netherlands, 226

L

Lifestyle coaching, for weight reduction, and wellness improvement in acommunity-based cohort of persons with serious mental illness, 977
Likelihood to help/harm (LHH), psychotropic drug safety research, 714
Long-acting injectable, antipsychotics, psychiatrists' attitudes, 553

M

Magnetic resonance imaging (MRI), motor imagery in bipolar depression with slowed movement, 885
Major depressive disorder (MDD)
  and bipolar I disorder, with patient- *versus* family-reported family functioning, 377
  obesity and eating disorders (ED), as mental health disorders, *versus* stigmatizing attitudes, 281
  posttraumatic stress disorder and comorbidity, after Hurricane Katrina, 841
  posttraumatic stress disorder, within dysphoria model, 907
  predictors of continuity, outpatient treatment after discharge, 519
  in relation with mentalization, in female inpatients, using reflective functioning scale, 202
Maltreatment, early life stress role, in adult psychiatric disorders, 1007
Medical doctors, suicide in, and nurses, 987
Medical education, medical alliance, from placebo response to alliance effect, 546
Medicalization, psychologists and psychiatrists practice patterns, 1089
Medically unexplained symptoms, primary polydipsia, 709
Melancholia, and nonmelancholic depression, psychotic symptoms prevalence, 855
Mental health
  in pregnant Iranian women, 602
  problem, varies across student subgroups and campuses, among American Colleges and Universities, 60
  *versus* immigrants, 645
Mental health disorders
  attachment style *versus* suicidality, 579
  knowledge and attitudes of health care providers, in HIV/AIDS services, in South Africa, 196
  *versus* stigmatizing attitudes, 281
Mental health literacy, with beliefs and attitudes, among high school students, with severe mental disorders in Italy, 311
Mental health providers, secondary traumatic stress, working with the military, 917
Mental health services, in Iraq and Afghanistan war era veterans, 872
Mental health stigmatiztion reduction, with intervention effects, in university or college students, 490
Mental health treatment
  for adolescents, associated to stigma with psychosis, in Middle East, 68
  associated with race *versus* beliefs, in anxious primary care patients, by coordinated anxiety learning and management (CALM) study, 188
Mental illness
  implicit and explicit stigma, 1071
  preexisting posttraumatic stress disorder (PTSD), risk factor for postdisaster mental health outcomes, after Hurricane Katrina, 161
Mental representation of attachment, in relation with emotion regulation, in patients with systemic lupus erythematosus, using adult attachment interview, 304
Methamphetamine, psychosis in persons with, receiving psychiatric treatment, 1084
Military
  behavioral screening measures delivered, with smartphone app, 991
  mental health, 1034
  secondary traumatic stress among mental health providers, 917
  *versus* negative behavioral and psychiatric conditions, 572
Mixed episode patients reevaluation, bipolar disorder on manic episode, 686
Mood disorder
  motor imagery in bipolar depression with slowed movement, 885
  self-esteem, mood, and quality of life in transsexualism, hormonal therapy, 996
Motivation effects, associated with impact of cognition, during vocational rehabilitation program, in schizophrenia, 173
Motor imagery, in bipolar depression with slowed movement, 885
Multiepisode schizophrenia (MES), associated with psychopathological variables and insight, in psychosis risk syndrome (PRS) and first-episode schizophrenia (FES), 229
Multilevel modeling, neurocognition, theory of mind, and community functioning, with serious mental illness, 786

N

National Comorbidity Survey, posttraumatic stress disorder dysphoric within dysphoria model, 907
National Epidemiologic Survey of Alcohol and Related Conditions (NESARC), prevalence and correlates of difficulty discarding, 795
National Epidemiologic Survey on Alcohol and Related Conditions (NESARC), prevalence and correlates of difficulty discarding, 795
Nationally representative, attachment style and mental disorders *versus* suicidality, 579
Neglect and abuse, as childhood maltreatment, in relation with adult personality pathology, 234
NEO Five-Factor Inventory, ADHD and five-factor model traits, in clinical sample, 848
Neurocognition
  cognitive remediation for treatment-resistant depression, online homework role, 780
  theory of mind in schizophrenia, neuropsychological functions influence, 609
Neuroleptic malignant syndrome, in relation with catatonia, electroconvulsive therapy (ECT) for, 36
Neuropsychiatric symptoms, associated with sleep disturbances, and with antidementia treatment, in Alzheimer's disease, 251
Neuropsychology, attention/processing speed, social impairment 18 years later in mood disorders, 824
Neuroticism, ADHD and five-factor model traits, in clinical sample, 848
Nightmares, and psychopathology in female victims, childhood maltreatment, 767
Noncardiac chest pain and panic disorder, incremental cost-effectiveness of pharmacotherapy, cognitive-behavioral therapies, 753
Nonsuicidal self-injury (NSSI), body image and noticeable self-inflicted scars, 1079
Nontraditional therapy, karate-based early intervention (KEI) in, 636
Number needed to harm (NNH)
  psychotropic drug safety research, 714
Number needed to treat (NNT)
  psychotropic drug safety research, 714
Nurses
  suicide in medical doctors and, 987
  *versus* civilians reactions, with posttraumatic stress disorder (PTSD) symptoms, to Tōhoku earthquake and tsunami, 534

O

Obesity, eating disorders (ED), and major depressive disorder (MDD), as mental health disorders, *versus* stigmatizing attitudes, 281
Object relations, reality testing, and social withdrawal in schizophrenia and bipolar disorder, 222
Observer-rated methodology, defense mechanisms change and coping patterns, 2-year-long psychotherapy and psychoanalysis for recurrent depression, 614

Obsession diagnostic and therapeutic dilemma, in psychotic patient, 818
Obsessive-compulsive disorder (OCD)
admissions for irreversible psychosurgical treatment of, in Netherlands, 226
diagnosis by thought-action fusion (TAF), with specificity and treatment effects, 407
diagnostic and therapeutic dilemma, in psychotic patient, 818
with symptom dimensions identification, using principal components analysis (PCA), 452
symptoms and characteristics in individuals, with delayed sleep phase disorder, 877
Obsessive-compulsive symptoms (OCS), associated with cognitive impairments, in unaffected relatives with psychosis, 30
Olfactory reference syndrome (ORS), associated with delusional trimethylaminuria (TMAU), in patients with delusional disorder, somatic type (DDST), 537
Outcomes
inpatient measure, of global psychiatric symptom severity, 971
veterans, residential placement with addiction, 567

P

Panic attacks (PA)
in generalized anxiety disorder (GAD), 52
in relation to suicide attempts, associated with borderline personality disorder (BPD) and panic disorder (PD), and influence of affective dysregulation, 130
Panic disorder (PD)
associated with borderline personality disorder (BPD) and panic attacks (PA), in relation to suicide attempts, and influence of affective dysregulation, 130
and noncardiac chest pain, incremental cost-effectiveness of pharmacotherapy, cognitive-behavioral therapies, 753
Paranoia, socioeconomic status, 698
Parenthood, PTSD versuslateral preference, in Israeli reserve combat troops, 703
Parents, academic performance and attainment of children with ADHD, 598
Partial hospitalization program, with treatment outcomes for psychiatric disorders, in youth for 3-month follow-up, 429
Patient activation in schizophrenia, associated with hope, symptoms, medication adherence, and recovery attitudes, in adults, 339
Personal finance assessment, by Timeline Historical Review of Income and Financial Transactions (THRIFT) instrument, 56
Personality disorder
ADHD and five-factor model traits, in clinical sample, 848
in adult associated with childhood maltreatment, as sexual, physical, and emotional abuse and neglect, 234
diagnostic and statistical manual of mental disorders, 5th edition, 729
and substance dependence, dual-focused *versus* single-focused therapy, 712
Personality pathology, diagnostic and statistical manual of mental disorders, 5th edition, 729
Personality traits
associated with anxiety and depressive disorders, in Turkish-Dutch, Moroccan-Dutch, and Native Dutch, 421
in relation with temperament, in epilepsy patients, 365
Pharmacotherapy, noncardiac chest pain and panic disorder, incremental cost-effectiveness, 753
Physical abuse and neglect, childhood maltreatment as, in relation with adult personality pathology, 234
Physician stalking, in health care professionals, 560
Physician-patient relationship, medical alliance, from placebo response to alliance effect, 546
Population-based study
attachment style and mental disorders *versus* suicidality, 579
immigrants *versus* poor mental health, 645
unique and interactive roles, anger experience and expression in suicidality, 959
Posttraumatic and sociocognitive models, associated with dissociative identity disorder (DID), 439
Posttraumatic stress disorders (PTSD)
associated with resilience as protective factor, among refugees, 167
dysphoric within dysphoria model, 907
intranasal insulin, treatment for, 638 (Commentary)
in Iraq and Afghanistan war era veterans, 872
latent structure, in elderly bereaved European trauma survivors, 901
major depressive disorder and comorbidity, after Hurricane Katrina, 841
military mental health, 1034
preexisting mental illness as risk factor, for postdisaster mental health outcomes, after Hurricane Katrina, 161
and prevalence of traumatic events, in patients with severe mental illness (SMI), in Israel, 251
related to combat experiences, with unethical battlefield conduct, from soldiers in Iraq war, 259
risk factors, after earthquake disaster, 1044
risk with association between cumulative traumatic experiences and sex in adults with human immunodeficiency virus (HIV), 504
in a Serbian community, 1039
sertraline *versus* prolonged exposure in, 691
and suicide risk among veterans, 802
symptoms, depression and dissociation, in relation with childhood maltreatment, in adult psychiatric patients, 471
symptoms in nurses *versus* civilians, reactions to Tōhoku earthquake and tsunami, 534
symptoms with independent and interactive predictors of sleep quality and anxiety sensitivity, 48
testing a model of the relationship between childhood sexual abuse and psychosis, first-episode psychosis group, 941
three well-supported models of, using factorial invariance across gender, five-factor model, 145
treatment with emotional freedom techniques (EFT), and psychological trauma symptom, in veterans, 153
versus lateral preference, parenthood in Israeli reserve combat troops, 703
Pregnant Iranian women, birth weight, domestic violence, coping, social support, and mental health, 602
Premenstrual dysphoric disorder (PMDD), and premenstrual syndrome, health perceptions and somatic sensations, 780
Premenstrual syndrome (PMS), and premenstrual dysphoric disorder, health perceptions and somatic sensations, 780
Prevention of recurrent episodes of depression with venlafaxine ER for two years (PREVENT) study, for sexual dysfunction associated, with recurrent major depressive disorder (MDD), 266
Primary somatoform vertigo and dizziness (SVD), persistence of symptoms in, 328
Prisons, psychosis *versus* trauma among incarcerated men, 773
Pseudounipolar schizoaffective disorder, diagnostic and therapeutic dilemma, in psychotic patient, 818
Psychiatric diagnosis
associated with childhood physical and sexual abuse prevalence, in veterans, 348
with dimensions *versus* categories, in Diagnostic and Statistical Manual of Mental Disorders (DSM-5), 532
Psychiatric disorders
early life stress role in, 1007
in youth with treatment by partial hospitalization program, for 3-month follow-up, 429
Psychiatric literature, race, ethnicity, and culture, 860
Psychiatric rehabilitation, neurocognition, theory of mind, and community functioning, with serious mental illness, 786
Psychiatric symptoms, comorbid internet addiction, in male clients of inpatient addiction rehabilitation centers, 934
Psychiatric treatment, with Beck Depression Inventory-II (BDI-II) measures, for depression symptoms structure, for 1 month, 371
Psychiatrists, and psychologists practice patterns, 1089
Psychiatry, conflicts of interest (COI) disclosures in, 84
Psychoanalysis
defense mechanisms change and coping patterns, 2-year-long psychotherapy for recurrent depression, 614
drugs in context, 926
Shedler-Westen assessment procedure (SWAP) insight scale, 706
Psychodynamic psychotherapy
defense mechanisms change and coping patterns, 2-year-long course for recurrent depression, 614
Psychoeducation, in adults with, ADHD *versus* cognitive behavioral group therapy, psychoeducation, 894
Psychological distress
associated with resilience as protective factor, among refugees, 167

with drug law enforcement and coping behaviors, in patients using medical cannabis, 292
hemodialysis patients, health-related quality of life, 621
Psychologists, and psychiatrists practice patterns, 1089
Psychologization, psychologists and psychiatrists practice patterns, 1089
Psychometrics, behavioral screening measures delivered, with smartphone app, 991
Psychomotor performance, motor imagery, in bipolar depression with slowed movement, 885
Psychopathological variables, in relation with insight, in psychosis risk syndrome (PRS) and first-episode and multiepisode schizophrenia, 229
Psychosis
in adolescents with stigma, for mental health treatment, in Middle East, 68
in association between cognitive impairments obsessive-compulsive symptoms (OCS), and unaffected relatives patients, 30
in association with clinician-rated engagement, and premorbid social adjustment, 359
with clinical high risk (CHR) syndrome for prevention, in Asian American youth, 484
with illusory correlations and illusion of control, by hypersalient evidence-hypothesis matches, 319
melancholia and nonmelancholic depression, psychotic symptoms prevalence, 855
in persons with methamphetamine abuse, receiving psychiatric treatment, 1084
schizophrenia, self-esteem and relapse, 653
*versus* trauma among incarcerated men, 773
Psychosis risk syndrome (PRS), in relation with psychopathological variables and insight, in first-episode and multiepisode schizophrenia, 229
Psychosocial PTSD risk factors, after earthquake disaster, 1044
Psychotic onset, psychotic-like experiences in young adults, with social anxiety disorder and correlation with affective dysregulation, 1052
Psychotic-like experiences, in young adults, with social anxiety disorder and correlation with affective dysregulation, 1052
Psychotic-like symptoms (PLS), associated with violent recidivism, in detained male adolescents, 478

**Q**

Quality of life (QOL)
associated with marital adjustment, in remitted psychiatric illness, 334
attitudinal and behavioral features, eating disorders, 592
premenstrual dysphoric disorder and premenstrual syndrome, health perceptions and somatic sensations, 780
self-esteem, mood and, in transsexualism, hormonal therapy, 996

**R**

Race
borderline personality disorder phenomenology, 1026
in psychiatric literature, 860
Rapid cycling, anxiety disorders and, 1059
Recidivism of violence, associated with psychotic-like symptoms (PLS), in detained male adolescents, 478
Recurrent depression, defense mechanisms change and coping patterns, 2-year-long psychotherapy and psychoanalysis for recurrent depression, 614
Reflective borderline group therapy (RBGT), for difficult-to-engage patients, 136
Rehabilitation, PTSD risk factors, after earthquake disaster, 1044
Relapse and self-evaluation, in schizophrenia, 653
Religiosity, delusions with religious content in schizophrenia, 665
Reproductive health, PTSD risk factors, after earthquake disaster, 1044
Rumination, delusion proneness, nonclinical individuals and cognitive insight, 659

**S**

Scales, body dysmorphic disorder, psychometric evaluation of beliefs, 640
Scars, body image and noticeable self-inflicted scars, 1079
Schizophrenia
associated with quality of life and marital adjustment, among remitted patients, in rural setting, 334
in association with self-compassion, symptoms, and insights, 389
and bipolar disorder, in association between social cognition and clinical insight, 445
and bipolar disorder, with object relations associated, with reality testing and social withdrawal, 222
clinical and sociodemographic factors, associated with predictors of hostility, from EU-SOHO study, 464
delusions with religious content, 665
emotional overinvolvement, 833
first-episode and multiepisode, associated with psychopathological variables and insight, in psychosis risk syndrome (PRS), 229
with illusory correlations and illusion of control, by hypersalient evidence-hypothesis matches, 319
long-acting injectable antipsychotics, clinicians'attitudes, 553
with patient activation in relation to hope, symptoms, medication adherence, and recovery attitudes, in adults, 339
psychopathology in relation with trauma profile, and plasma brain-derived neurotrophic factor, in Egyptian adolescents, 23
research, 744
role of motivation, during vocational rehabilitation program, with impact of cognition, 173
self-esteem and relapse in, 653
socioeconomic status and paranoia, 698
in theory of mind, neuropsychological functions influence, 609
Schizotypy
associated with Theory of Mind (ToM) performance, using hinting tasks (HT), 394
personality traits associated with, impact of adverse life events, in nonpatient sample, 208
Schwartz Outcome Scale-10 (SOS-10), psychological health and well-being validation using, in adolescent, 216
Secondary traumatic stress, among mental health providers, working with the military, 917
Selective attention, testing a model of the relationship between childhood sexual abuse and psychosis, first-episode psychosis group, 941
Self *versus* parent representation mentalization, and working models of parents, protective factors from distress and eating disorders, 510
Self-compassion, associated with symptoms, and insight, in schizophrenia, 389
Self-disgust, and state disgust associated with borderline personality disorder (BPD), 105
Self-esteem
family adversity *versus* social anxiety among adolescent, in Taiwan, 964
mood, and quality of life in transsexualism, hormonal therapy, 996
Self-evaluation, and relapse, in schizophrenia, 653
Self-injurious behavior (SIB), as impulsive component, predicting sample of adult women, 72
Seroprevalence, *Toxoplasma gondii* infection and suicide attempts, 948
Sertraline, *versus* prolonged exposure in PTSD, 691
Severe mental disorders, with beliefs and attitudes, among high school students, in Italy, 311
Severe mental illness (SMI)
with prevalence of traumatic events, and full and partial posttraumatic stress disorder (PTSD), in Israel, 251
in relation with internalized stigma, measured by factor structure of, parents' internalized stigma of mental illness (PISMI) scale, 183
telephonic wellness coaching intervention for weight reduction, and wellness improvement in acommunity-based cohort of persons with serious mental illness, 977
Sex
abuse and neglect, childhood maltreatment as, in relation with adult personality pathology, 234
in association with cumulative traumatic experiences, for posttraumatic stress disorder (PTSD) risk, in human immunodeficiency virus (HIV)-infected adults, 504
Sexual dysfunction, associated with recurrent major depressive disorder (MDD), in PREVENT Study, 266
Shedler-Westen assessment procedure (SWAP) insight scale, 706
Sleep disturbances, associated with neuropsychiatric symptoms, and with antidementia treatment, in Alzheimer's disease, 251
Sleep quality, and anxiety sensitivity with independent and interactive predictors of posttraumatic stress disorder (PTSD) symptoms, 48
Smartphones, behavioral screening measures delivered, with smartphone app, 991
Social anxiety disorder
family adversity *versus* social anxiety among adolescent, in Taiwan, 964
psychotic-like experiences in young adults, with social anxiety disorder and correlation with affective dysregulation, 1052

Social cognition
associated with clinical insight, in schizophrenia and bipolar disorder, 445
schizophrenia, relapse and self-evaluation, 653
Social contact interventions, for mental health-related stigma reduction, in university or college students, 490
Social functioning, attention/processing speed, social impairment 18 years later in mood disorders, 824
Social psychiatry, drugs in context, 926
Social support, in pregnant Iranian women, 602
Sociocognitive model (SCM)
for dissociative identity disorder (DID), 438
and posttraumatic models, associated with dissociative identity disorder (DID), 439
Socioeconomic status, in paranoia, 698
Somatic symptom disorder (SSD), Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition (DSM-5) criteria set in, 530
Spirituality
associated with psychological well-being, 274
delusions with religious content in schizophrenia, 665
Stigma
implicit and explicit stigma, mental illness, 1071
of mental illness, and affirming attitudes, with effect on journalism, 179
reduction in relation with mental health, with effects of interventions, in university or college students, 490
Stress
PTSD in a Serbian community, 1039
in relation to borderline personality disorder (BPD) on impulsivity, with and without attention-deficit/hyperactivity disorder (ADHD), 116
Stroke lesions, in association with emotional changes, in acute ischemic stroke patients, by Alberta Stroke Program Early CT Score (ASPECTS), 400
Substance abuse, violence, during a 4-week period in a psychiatric population, 1021
Substance dependence, and personality disorders, dual-focused *versus* single-focused therapy, 712
Substance-related addiction, comorbid internet addiction, in male clients of inpatient addiction rehabilitation centers, 934
Suicidal behavior
and ideation, in Puerto Rican older children and adolescents, 587
and posttraumatic stress disorder among veterans, 802
Suicide
associated with permissive attitude, with and without depression, for future intent in Korea, 286
attachment style *versus* mental disorders, 579
attempts and *Toxoplasma gondii* infection, 948
attitudes toward life and death and suicidality, inpatient female adolescents with eating disorders, 1065
borderline personality disorder phenomenology, 1026
in medical doctors and nurses, 987
prevention in elderly patients, with case reports from national veterans affairs database, 12
in relation to borderline personality disorder (BPD) associated with panic disorder (PD) and panic attacks (PA), and influence of affective dysregulation, 130
unique and interactive roles, anger experience and expression in, 959
Systems training for emotional predictability and problem solving (STEPPS), for borderline personality disorder (BPD) offenders, with group treatment, 124

**T**

Tardive Tourette, diagnostic and therapeutic dilemma, in psychotic patient, 818
Telephonic wellness coaching intervention, for weight reduction, and wellness improvement in acommunity-based cohort of persons with serious mental illness, 977
Theory of Mind (ToM)
performance, associated with schizotypal, using hinting tasks (HT), 394
in schizophrenia, neuropsychological functions influence, 609
Thought-action fusion (TAF), for obsessive-compulsive disorder (OCD) diagnosis, with specificity and treatment effects, 407
Timeline Historical Review of Income and Financial Transactions (THRIFT), reliability assessment, personal financial management, 56
*Toxoplasma gondii,* infection and suicide attempts, 948
Transsexualism, hormonal therapy, with self-esteem, mood, and quality of life in, 996
Trauma *versus* psychosis, among incarcerated men, 773
Treatment preference, sertraline *versus* prolonged exposure in PTSD, 691
Treatment-resistant depression, cognitive remediation, online homework role, 780
Trimethylaminuria (TMAU), associated with olfactory reference syndrome (ORS), delusional disorder, somatic type (DDST) category of, 537
Typing intolerance, of uncertainty with poor behavioral performance, 760

**U**

Underdiagnosis, patient's reevaluation, bipolar disorder on manic episode, 686

**V**

Vertigo, and dizziness symptoms, in German general population, 629
Violence
DSM-IV and DSM-5 conduct disorder subtyping, in detained adolescents, 736
early life stress role, in adult psychiatric disorders, 1007
risk factors, during a 4-week period in a psychiatric outpatient population, 1021
Vocational rehabilitation program, role of motivation during, with impact of cognition, in schizophrenia, 173

**W**

Weight concern, eating disorders, attitudinal and behavioral features, 592
Weight reduction, telephonic wellness coaching intervention for, and wellness improvement with serious mental illness, 977
Wellness improvement, telephonic wellness coaching intervention for weight reduction, with serious mental illness, 977
Working models of parents, and mentalization in self *versus* parent representations, with protective factors from distress and eating disorders, 510

**Y**

Youth
correlates of irritability, in college students with depression, 953
with psychiatric disorder treatment, by partial hospitalization program, for 3-month follow-up, 429

The Journal of Nervous and Mental Disease
Copyright © 2013 by Lippincott Williams & Wilkins

# Author Index Volume 201


A

Ablondi, K. M., *see* Black, A. C.

Abrams, K. M., and Robinson G. E., Stalking by Patients: Doctors' Experiences in a Canadian Urban Area—(Part II) Physician Responses, 560

Acemoglu, H., *see* Yazici, E.

Adler, J., *see* Tschan, R.

Adler, M., *see* Liberg, M. N. L., Ghazinour, M., Nygren, L., Nojomi, M., and Richter, J., Birth Weight, Domestic Violence, Coping, Social Support, and Mental Health of Young Iranian Mothers in Tehran, 602

Afifi, T. O., *see* Palitsky, D.

Agartz, I., *see* Vaskinn, A.

Aggarwal, S. K., Carter, G., Sullivan, M., Morrill, R., Zumbrunnen, C., and Mayer, J., Distress, Coping, and Drug Law Enforcement in a Series of Patients Using Medical Cannabis, 292

Aguilera, A., *see* Breitborde, N. J.

Ahmed, A. O., and Buckley, P. F., *The Archaeology of Mind.* Jaak Panksepp and Lucy Biven (2012) New York: W.W. Norton & Company, Inc. ix + 547 pp., 719

Ahmed, Z., *see* Haggerty, G.

Ahmed, Z., *see* Haggerty, G.

Akhtar, S., *see* Vibha, P.

Alarcón, R. D., *see* Lewis-Fernández, R.

Albarel, F., *see* Gorin-Lazard, A.

Alcaraz, C., *see* Montes, J. M.

Alegria, A., *see* Montes, J. M.

Allen, J., *see* Black, D. W.

Allen, J. G., *see* Elhai, J. D.

Allott, K., *see* Bendall, S.

Alm, B., *see* Krause-Utz, A.

Alpers, G. W., *see* Dyer, A.

Alvarado-Esquivel, C., Sánchez-Anguiano, L. F., Arnaud-Gil, C. A., López-Longoria, J. C., Molina-Espinoza, L. F., Estrada-Martínez, S., Liesenfeld, O., Hernández-Tinoco, J., Sifuentes-Álvarez, A., and Salas-Martínez, C., *Toxoplasma gondii* Infection and Suicide Attempts: A Case-Control Study in Psychiatric Outpatients, 948

Alvarez, J., *see* Babson, K. A.

Alvarez-Jimenez, M., *see* Bendall, S.

Amar, R., *see* Koola, M. M.

Amore, M., *see* Pompili, M.

Ameringen, M. V., Simpson, W., Patterson, B., and Mancini, C., Panic Attacks in Generalized Anxiety Disorder, 52

Anders, T. F., and Kirshenbaum, K., *Infant Research and Neuroscience at Work in Psychotherapy:* Expanding the Clinical Repertoire. Judith Rustin (2012) New York, London: W.W. Norton & Company, Inc. 224 pp., 721

Anderson, F., and Freeman, D., Socioeconomic Status and Paranoia: The Role of Life Hassles, Self-mastery, and Striving to Avoid Inferiority, 698

Anderson, V., *see* Cieslak, R.

Andreassen, O. A., *see* Hansen, C. F.

Andreoulakis, E. E., *see* Fountoulakis, K. N.

Andreassen, O. A., *see* Vaskinn, A.

Anwar, J., Mpofu, E., Matthews, L. R., and Brock, K. E., Risk Factors of Posttraumatic Stress Disorder After an Earthquake Disaster, 1045

Aoki, Y., *see* Yamaguchi, S.

Appelbaum, P. S., *see* Kopelman, A. M.

Arheart, K. L., *see* Bandiera, F. C.

Armando, M., Lin, A., Girardi, P., Righetti, V., Dario, C., Saba, R., Decrescenzo, F., Mazzone, L., Vicari, S., Birchwood, M., and Nastro, P. F. Prevalence of Psychotic-like Experiences in Young Adults With Social Anxiety Disorder and Correlation With Affective Dysregulation, 1053

Armour, C., O Connor, M., Elklit, A., and Elhai, J. D., Assessing Posttraumatic Stress Disorder s Latent Structure in Elderly Bereaved European Trauma Survivors: Evidence for a Five-Factor Dysphoric and Anxious Arousal Model, 901

Armour, C., and Shevlin, M., Assessing the Specificity of Posttraumatic Stress Disorder's Dysphoric Items within the Latent Structure of Simms et al., 907

Armour, C., *see* Wang, M.

Arnaud-Gil, C. A., *see* Alvarado-Esquivel, C.

Arnetz, B., *see* Arnetz, J.

Arnetz, J., Rofa, Y., Arnetz, B., Ventimiglia, M., and Jamil, H., Resilience as a Protective Factor Against the Development of Psychopathology Among Refugees, 167

Arntz, A., *see* Lee, C. W.

Arntz, A., *see* Peter, M.

Arranz, B., *see* Ochoa, S.

Asmundson, G. J. G., *see* Thibodeau, M. A.

Ashburn-Nardo, L., *see* Stull, L. G.

Attai, S., *see* Barnard-Brak, L.

Auquier, P., *see* Gorin-Lazard, A.

Aydin, N., *see* Yazici, E.

B

Babson, K. A., Boden, M. T., Woodward, S., Alvarez, J., and Bonn-Miller, M., Anxiety Sensitivity and Sleep Quality: Independent and Interactive Predictors of Posttraumatic Stress Disorder Symptoms, 48

Babuscio, T., *see* Buchanan, A.

Baca-García, E., *see* García-Nieto, R.

Bachar, E., *see* Stein, D.

Baer, L., *see* Pedrelli, P.

Baeza, F. L. C., *see* Caldieraro, M. A.

Bahk, W., *see* Wang, H. R.

Bakow, B. R., *see* Pedrelli, P.

Balanzá-Martínez, V., *see* Montes, J. M.

Balzan, R. P., Delfabbro, P. H., Galletly, C. A., and Woodward, T. S., Illusory Correlations and Control Across the Psychosis Continuum: The Contribution of Hypersalient Evidence-Hypothesis Matches, 319

Bandiera, F. C., Ramirez, R., Arheart, K. L., Canino, G., and Goodwin, R. D., Asthma and Suicidal Ideation and Behavior Among Puerto Rican Older Children and Adolescents, 587

Baño, V., *see* Ochoa, S.

Barbancho, M. Á., *see* García-Alberca, J. M.

Barbasio, C., and Granieri, A., Emotion Regulation and Mental Representation of Attachment in Patients With Systemic Lupus Erythematosus: A Study Using the Adult Attachment Interview, 304

Barley, E. A., *see* Yamaguchi, S.

Barlow, D. H., *see* Thompson-Hollands, J.

Barnard-Brak, L., Schmidt, M., Wei, T., Parker, S. L., and Attai, S. L., Parental Perceptions of Academic Performance and Attainment of Children Diagnosed With Attention Deficit Hyperactivity Disorder, 598

Barnetz, Z., *see* Ritov, G.

Barr, A. M., *see* Lecomte, T.

Barrowclough, C., *see* Holding, J. C.

Bartolommei, N., *see* Luchini, F.

Bauer, M., *see* Pilhatsch, M.

Baumstarck, K., *see* Gorin-Lazard, A.

Beahrs, J., *see* Verhulst, J.

Becker, A. E., *see* Lewis-Fernández, R.

Becker, G., *see* Nitzan, U. 201: 345

Becker, D. F., *see* Harper, G.

Beckham, J. C., *see* Elbogen, E. B.

Beekman, A. T. F., *see* Schrier, A. C.

Bell, M. D., *see* Choi, K-H.

Bell, M. D., *see* Hansen, C. F.

Bell, M. R., *see* Gallaway, M. S.

Ben-Ezra, M., Palgi, Y., Hamama-Raz, Y, Soffer, Y., and Shrira, A., Reactions to the 2011 Tōhoku Earthquake and Tsunami: A Preliminary Matching Study Comparing Nurses and Civilians, 534

Bendall, S., Hulbert, C. A., Alvarez-Jimenez, M., Allott, K., McGorry, P. D., and Jackson, H. J., Testing a Model of the Relationship Between Childhood

Sexual Abuse and Psychosis in a First-Episode Psychosis Group: The Role of Hallucinations and Delusions, Posttraumatic Intrusions, and Selective Attention, 941
Bender D. S., *see* Morey L. C.
Benight, C. C., *see* Cieslak, R.
Berle, D., *see* Brakoulias, V.
Best, C., *see* Tschan, R.
Best, M., *see* Bowie, C. R.
Beutel, M. E., *see* Tschan, R.
Beutel, M. E., *see* Wölfling, K.
Biehn, T. L., *see* Elhai, J. D.
Birchwood, M., *see* Armando, M.
Biswas, M., *see* Yamaguchi, S.
Black, A. C., Serowik, K. L., Ablondi, K. M., Rosen, M. I., Timeline Historical Review of Income and Financial Transactions: A Reliable Assessment of Personal Finances, 56
Black, D. W., Blum, N., McCormick, B., and Allen, J., Systems Training for Emotional Predictability and Problem Solving (STEPPS) Group Treatment for Offenders With Borderline Personality Disorder, 124
Black, E. B., and Mildred, H., Predicting Impulsive Self-Injurious Behavior in a Sample of Adult Women, 72
Blais, M. A., *see* Haggerty, G.
Blanco, J. A., *see* Molina V.
Blanco, C., *see* Rodriguez, C. I.
Blanc, O., *see* Samalin, L.
Blasco-Fontecilla, H., *see* García-Nieto, R.
Bloch, Y., *see* Nitzan, U.
Blüml, V., *see* Fischer-Kern, M.
Blum, N., *see* Black, D. W.
Bliese, P. D., *see* Wilk, J. E.
Boar, S., *see* Mills, P. D.
Bock, J., *see* Cieslak, R.
Boden, M. T., *see* Babson, K. A.
Bohus, M., *see* Krause-Utz, A.
Bolton, M., *see* Ramos, N.
Bonierbale, M., *see* Gorin-Lazard, A.
Bonn-Miller, M., *see* Babson, K. A.
Bor, W., *see* Varghese, D.
Borras, L., *see* Rieben, I.
Borgmann, E., *see* Dyer, A.
Bosch, R., *see* Estrada, R. V.
Boss, S., *see* Fischer-Kern, M.
Bouchard, V., *see* Lecomte, T.
Bowie, C. R., Gupta, M., Holshausen, K., Jokic, R., Best, M., and Milev, R., Cognitive Remediation for Treatment-Resistant Depression: Effects on Cognition and Functioning and the Role of Online Homework, 680
Boyer, L., *see* Gorin-Lazard, A.
Boysen, G. A., and VanBergen, A. A Review of Published Research on Adult Dissociative Identity Disorder: 2000–2010, 5
Bradley, B., *see* Koola, M. M.
Brakoulias, V., Starcevic, V., Berle, D., Sammut, P., Milicevic, D., Moses, K., Hannan, A., and Martin, A., Further Support for Five Dimensions of Obsessive-Compulsive Symptoms, 452
Brand, B., Loewenstein, R. J., and Spiegel, D., Disinformation About Dissociation: Dr Joel Paris's Notions About Dissociative Identity Disorder, 354
Brand, B. L., Loewenstein, R. J., and Spiegel, D., Patients With DID Are Found and Researched More Widely Than Boysen and VanBergen Recognized, 440
Brandt, P-Y., *see* Rieben, I.
Breitborde, N. J.K., López, S. R., Aguilera, A., and Kopelowicz, A., Perceptions of Efficacy, Expressed Emotion, and the Course of Schizophrenia: The Case of Emotional Overinvolvement, 833
Brener, L., Rose, von Hippel, C., Wilson, H., Implicit Attitudes, Emotions, and Helping Intentions of Mental Health Workers Toward Their Clients., 460
Brewer, K. B., *see* Gearing, R. E.
Bria, P., *see* Mazza, M.
Brink, J., *see* Lecomte, T.
Brock, K. E., *see* Anwar, J.
Broekaert, E., *see* Colins, O. F.
Brooks, A. J., *see* Church, D.
Brower, K., *see* Jakubczyk, A.
Bruce, D., *see* Hollander, A.-C.
Bruggeman, R., *see* van Vliet, I. M.
Brunner, R., *see* Kaess, M.
Brunner, R., *see* von Ceumern-Lindenstjerna, I.-.A
Bryan, C. J., *see* Heron, E. A.
Buchanan, A., Nich, C., Douglas, K. S., Babuscio, T., and Easton, C. J., Risk Factors of Violence During a 4-Week Period in a Psychiatric Outpatient Population, 1021
Mack, A. H., The Psychiatric Report: Principles and Practice of Forensic Writing, 80
Buchanan, T., *see* Lecomte, T.
Buckett, G., *see* Latner, J. D.
Buckley, P. F., *see* Ahmed, A. O.
Bugaj, M., *see* Jakubczyk, A.
Buizza, C., *see* Serra, M.
Burström, B., *see* Hollander, A-C.
Bush, A. L., *see* Calleo, J. S.
Bush, N. E., Skopp, N., Smolenski, D., Crumpton, R., and Fairall, J., Behavioral Screening Measures Delivered With a Smartphone App: Psychometric Properties and User Preference, 991
C
Cabassa, L. J., *see* Lewis-Fernández, R.
Cagande, C. C., and Pumariega, A. J. *Clinical Manual of Adolescent Substance Abuse Treatment*, Yifrah Kaniner, MD, MBA, and Ken C. Winters, PhD, Eds. (2011) Arlington: American Psychiatric Publishing, Inc. 490 pp., 1004
Caldieraro, M. A., Baeza, F. L. C., Pinheiro, D. O., Ribeiro, M. R., Parker, G., and Fleck, M. P., Prevalence of Psychotic Symptoms in Those With Melancholic and Nonmelancholic Depression, 855
Calleo, J. S., Bush, A. L., Cully, J. A., Wilson, N. L., Kraus-Schuman, C., Rhoades, H. M., Novy, D. M., Masozera, N., Williams, S., Horsfield, M., Kunik, M. E., and Stanley, M. A., Treating Late-Life Generalized Anxiety Disorder in Primary Care: An Effectiveness Pilot Study, 414
Camacho, A., *see* Castilla-Puentes, R.
Campo, J., *see* van Vliet, I. M.
Canino, G., *see* Bandiera, F. C.
Carr, C. P., Martins, C. M. S., Stingel, A. M., Lemgruber, V. B., and Juruena, M. F., The Role of Early Life Stress in Adult Psychiatric Disorders: A Systematic Review According to Childhood Trauma Subtypes, 1007
Carrara, H., *see* Temmingh, H.
Carse, T., Dip, G., and Langdon, R., Delusion Proneness in Nonclinical Individuals and Cognitive Insight: The Contributions of Rumination and Reflection, 659
Carter, G., *see* Aggarwal, S. K.
Carleton, N., *see* Thibodeau, M. A.
Carvalho, A. F., Ramírez S. P., Macêdo D. S., Sales P. M. G., Rebouças J. C., Daher E. F., and Hyphantis, T. N., The Psychological Defensive Profile of Hemodialysis Patients and Its Relationship to Health-Related Quality of Life, 621
Casamassima, F., *see* Luchini, F.
Casas, M., *see* Estrada, R. V.
Caspi, A., *see* Gelkopf, M.
Cassano, G. B., *see* Luchini, F.
Cassiello, C., *see* Pedrelli, P.
Castilla-Puentes, R., Sala, R., Ng, B., Galvez, J., and Camacho, A. Anxiety Disorders and Rapid Cycling: Data From a Cohort of 8129 Youths With Bipolar Disorder, 1060
Castro, C. A., *see* Wilk, J. E.
Chacko, R. C., *Depression in Adults With a Chronic Physical Health Problem. National Collaborating Centre for Mental Health. (2010)* London: The British Psychological Society and the Royal College of Psychiatrists. 420 pp., 916
Chapman, W. G., *see* Heron, E. A.
Charpeaud, T., *see* Samalin, L.
Chavira, D. A., *see* Hunt, J.
Chen, J. A., Keller, S. M., Zoellner, L. A., and Feeny, N. C., "How Will It Help Me?": Reasons Underlying Treatment Preferences Between Sertraline and Prolonged Exposure in Posttraumatic Stress Disorder, 691
Chen, C-H., *see* Ku, H.-L.
Chen, C.-C., *see* Ku, H.-L.
Chen, P.-C., *see* Ku, H.-L.
Cheng, C., *see* Yen, C-F
Chi, N.-F., *see* Ku, H.-L.
Cho, H.-S., *see* Kim, K. R.

Choi, K-H., Fiszdon, J. M., and Bell, M. D., Beyond Cognition: A Longitudinal Investigation of the Role of Motivation During a Vocational Rehabilitation Program, 173
Christodoulou, C., *see* Tournikioti, K.
Church, D., Hawk, C., Brooks, A. J., Toukolehto, O., Wren M., Dinter, I., and Stein, P., Psychological Trauma Symptom Improvement in Veterans Using Emotional Freedom Techniques: A Randomized Controlled Trial, 153
Cieslak, R., Anderson, V., Bock, J., Moore, B. A., Peterson, A. L., and Benight, C. C., Secondary Traumatic Stress Among Mental Health Providers Working With the Military: Prevalence and Its Work- and Exposure-Related Correlates, 917
Citrome, L., and Ketter, T. A., Number Needed to Harm Can Be Clinically Useful: A Response to Safer and Zito, 1001
Claassen, A., *see* Temmingh, H.
Clarkin, J., *see* Clarkin, J.
Clarkin, J. F., and De Panfilis, C., Developing Conceptualization of Borderline Personality Disorder, 88
Cloete, K. J., *see* Morris, T.
Coffey, S. F., *see* Nillni, Y. I.
Cogan, R., and Porcerelli, J. H., Validation of the Shedler-Westen Assessment Procedure Insight Scale, 706
Cohen, L. J., Foster, M., Nesci, C., Tanis, T., Halmi, W., and Galynker, I., How Do Different Types of Childhood Maltreatment Relate to Adult Personality Pathology?, 234
Colins, O. F., and Vermeiren, R. R. J., The Usefulness of DSM-IV and DSM-5 Conduct Disorder Subtyping in Detained Adolescents, 736
Coles, M. E., *see* Schubert, J. R.
Colins, O. F., Vermeiren, R. R., Noom, M., Broekaert, E., Psychotic-Like Symptoms as a Risk Factor of Violent Recidivism in Detained Male Adolescents, 478
Comparelli, A., Savoja, V., De Carolis, A., Di Pietro, S., Kotzalidis, G. D., Corigliano, V., Falcone, I., Tatarelli, R., Ferracuti, S., and Girardi, P., Relationships Between Psychopathological Variables and Insight in Psychosis Risk Syndrome and First-Episode and Multiepisode Schizophrenia, 229
Comparelli, A., *see* Comparelli, A.
Constans, J. I., *see* Sullivan, G.
Contractor, A. A., *see* Elhai, J. D.
Cook, E. A., Liu, N. H., Tarasenko, M., Davidson, C. A., and Spaulding, W. D., Longitudinal Relationships Between Neurocognition, Theory of Mind, and Community Functioning in Outpatients With Serious Mental Illness, 786
Copans, S. A., *see* Harper, G.
Corigliano, V., *see* Comparelli, A.
Corrales, M., *see* Estrada, R. V.
Corrigan, P. W., Powell, K. J., and Michaels, P. J., The Effects of News Stories on the Stigma of Mental Illness, 179
Cosentino, L., *see* Luchini, F.
Cougle, J. R., *see* Hawkins, K. A.
Cox, B. J., *see* Turnbull, D. L.
Craske, M. G., *see* Hunt, J.
Craner, J., Sigmon, S., Martinson, A., and McGillicuddy, M., Perceptions of Health and Somatic Sensations in Women Reporting Premenstrual Syndrome and Premenstrual Dysphoric Disorder, 780
Crumpton, R., *see* Bush, N. E.
Cruz, B., *see* García-Alberca, J. M.
Cully, J. A., *see* Calleo, J. S.
Currier, B. M., Psychiatry and Heart Disease: The Mind, Brain and Heart, 80
Currier, M. B., *see* Currier, M. B.
Cusin, C., *see* Pedrelli, P.
D
Dai, X., *see* Wang, M.
Dario, C., *see* Armando, M.
Daher E. F., *see* Carvalho, A. F.
Davies, R. D., Wading Through the Flood of Nontraditional Therapies, 636
Davidson, C. A., *see* Cook E. A.
Davis, L. W., *see* Eicher, A. C.
Davis, T., *see* Sullivan, G.
Dayakalashe, N. M., *see* Temmingh, H.
De Carolis, A., *see* Comparelli, A.
De Panfilis, C., *see* Clarkin, J. F.
De Panfilis, J., *see* Clarkin, J.
De Genna, N. M., and Feske, U. Phenomenology of Borderline Personality Disorder: The Role of Race and Socioeconomic Status, 1027
De Leo, D., *see* Kõlves, K.
de Dios, C., *see* Montes, J. M.
de Wit, M. A.S., *see* Schrier, A. C.
de Roten, Y., *see* Kramer, U.
Decrescenzo, F., *see* Armando, M.
Deitch, E. A., *see* Sullivan, G.
Dekker, J., *see* Schrier, A. C.
Dell, P. F., The Weakness of the Sociocognitive Model of Dissociative Identity Disorder, 438
Delfabbro, P. H., *see* Balzan, R. P.
Desai, P. N., *see* Lewis-Fernández, R.
Despland, J-N., *see* Kramer, U.
Di Nicola, M., *see* Mazza, M.
Di Pietro, S., *see* Comparelli, A.
Dickenhorst, U., *see* Wölfling, K.
Dieterich, M., *see* Tschan, R.
Dinter, I., *see* Church, D.
Dip, G., *see* Carse, T.
Ditkowsky, K., *see* Haggerty, G.
Dorahy, M., *see* Martínez-Taboas, A.
Dorahy, M., *see* Sar, V.
Dorries, K. M., *see* Gelenberg, A. J.
Dougherty, C. A., *see* Heron, E. A.
Douglas, K. S., *see* Buchanan, A.
Douzenis, A., *see* Tournikioti, K.
Dominici, G., *see* Pompili, M.
Duval, M., McDuff, P., and Zadra, A., Nightmare Frequency, Nightmare Distress, and Psychopathology in Female Victims of Childhood Maltreatment, 767
Downs, A. C., *see* Palitsky, D.
Duan, N., *see* Lewis-Fernández, R.
Duncan, E. J., *see* Koola, M. M.
Dunner, D. L., *see* Gelenberg, A. J.
Dupuis G., *see* Poirier-Bisson, J.
Duño, R., *see* Fernandez-Gonzalo, S.
Dyer, A., Hennrich, L., Borgmann, E., White, A. J., and Alpers, G. W., Body Image and Noticeable Self-inflicted Scars, 1080
E
Easton, C. J., *see* Buchanan, A.
Ebersbach, G., *see* Pilhatsch, M.
Ebneter, D. S., and Latner, J. D., Stigmatizing Attitudes Differ Across Mental Health Disorders: A Comparison of Stigma Across Eating Disorders, Obesity, and Major Depressive Disorder, 281
Eckhardt-Henn, A., *see* Tschan, R.
Eicher, A. C., Davis, L. W., and Lysaker, P. H., Self-Compassion: A Novel Link With Symptoms in Schizophrenia?, 389
Eisen, J. L., *see* Phillips, K. A.
Eisenberg, D., Hunt, J., and Speer, N., Mental Health in American Colleges and Universities: Variation Across Student Subgroups and Across Campuses, 60
Ekblad, S., *see* Hollander, A-C.
Elbogen, E. B., Johnson, S. C., Newton, V. M., Fuller, S., Wagner, H. R., VA Mid-Atlantic MIRECC Registry Workgroup, and Beckham, J. C., Self-report and Longitudinal Predictors of Violence in Iraq and Afghanistan War Era Veterans, 872
Elhai, J. D., *see* Armour, C.
Elhai, J. D., Contractor, A. A., Biehn, T. L., Allen, J. G., Oldham, J., Ford, J. D., Grubaugh, A. L., and Frueh, B. C., Changes in the Beck Depression Inventory-II's Underlying Symptom Structure Over 1 Month of Inpatient Treatment, 371
Elklit, A., *see* Armour, C.
Estrada, R. V., Bosch, R., Nogueira, M., Gómez-Barros, N., Valero, S., Palomar, G., Corrales, M., Richarte, V., Mena, B., Casas, M., and Ramos-Quiroga, J. A., Psychoeducation for Adults With Attention Deficit Hyperactivity Disorder *vs.* Cognitive Behavioral Group Therapy: A Randomized Controlled Pilot Study, 894
Estrada-Martínez, S., *see* Alvarado-Esquivel, C.
Ezquiaga, E., *see* Montes, J. M.
F
Fagiolini, A., *see* Luchini, F.
Fairall, J., *see* Bush, N. E.
Falcone, I., *see* Comparelli, A.
Fang, L., *see* Zhang J.

Farabaugh, A., *see* Pedrelli, P.
Faull, R. N., *see* Sarapas, C.
Farchione, T. J., *see* Thompson-Hollands, J.
Fassaert, T. J. L., *see* Schrier, A. C.
Fava, M., *see* Pedrelli, P.
Fawzi, M. H., Kira I. A., Fawzi, M. M. Jr., Mohamed, H. E., Fawzi, M. M., Trauma Profile in Egyptian Adolescents With First-Episode Schizophrenia: Relation to Psychopathology and Plasma Brain-Derived Neurotrophic Factor, 23
Fawzi, M. M., *see* Fawzi, M. H.
Fawzi, M. M., Jr, *see* Fawzi, M. H.
Feeny, N. C., *see* Chen, J. A.
Feffer, K., *see* Nitzan, U.
Fennig, S., *see* Nitzan, U.
Fernandez-Gonzalo, S., Pousa E., Jodar, M., Turon, M., Duño, R., and Palao, D., Influence of the Neuropsychological Functions in Theory of Mind in Schizophrenia: The False-Belief/Deception Paradigm, 609
Ferracuti, S., *see* Comparelli, A.
Feske, U., *see* De Genna, N. M.
Fisher, R., *see* MacBeth, A.
Fink, D. S., *see* Gallaway, M. S.
First, M. B., *Diagnostic and Statistical Manual of Mental Disorders, 5th Edition,* and Clinical Utility, 727
Fischer-Kern, M., Fonagy, P., Kapusta, N. D., Luyten, P., Boss, S., Naderer, A., Blüml, V., and Leithner, K., Mentalizing in Female Inpatients With Major Depressive Disorder, 202
Fiszdon, J. M., *see* Choi, K.
Flaherty, L. T., *see* Harper, G.
Flament, M. F., *see* Thatte, S.
Fleck, M. P., *see* Caldieraro, M. A.
Fleet, R., *see* Poirier-Bisson, J.
Fonagy, P., *see* Fischer-Kern, M.
Ford, J. D., *see* Elhai, J. D.
Forintos, D. P., *see* Kocsis-Bogár, K.
Foster, M., *see* Cohen, L.J.
Foulks, E. F., *see* Lewis-Fernández, R.
Fountoulakis, K. N., Andreoulakis, E. E., Iacovides, A., Nonsensory Hallucinations or Obsessive Symptoms?: A Diagnostic and Therapeutic Dilemma in a Psychotic Patient, 818
Forlenza, N., Andreoulakis, E. E., Iacovides, A., Nonsensory Hallucinations or Obsessive Symptoms?: A Diagnostic and Therapeutic Dilemma in a Psychotic Patient, 818
Forte, A., *see* Pompili, M.
Frances, A., *DSM-5* Somatic Symptom Disorder, 530
Freeman, D., *see* Anderson, F.
Frey, W. H., II, Intranasal Insulin to Treat and Protect Against Posttraumatic Stress Disorder, 638
Friedman-Yakoobian, M., *see* Li, H.
Frueh, B. C., *see* Elhai, J. D.
Fuchs, G., *see* Pilhatsch, M.
Fuhrhans, C., *see* Mueller-Pfeiffer, C.
Fuller, S., *see* Elbogen, E. B.
G
García-Nieto, R., López-Castromán, J., Blasco-Fontecilla, H., Ginestar, C. M., and Baca-García, E., Psychiatrists and Psychologists Practice Patterns: Different Profiles in a Spanish Clinical Sample, 1090
Gómez-Barros, N., *see* Estrada, R. V.
Gómez-Pérez, L., *see* Thibodeau, M. A.
Galea, S., *see* Nillni, Y. I.
Gallaway, M. S., Fink, D. S., Millikan, A. M., Mitchell, M. M., and Bell, M. R., The Association Between Combat Exposure and Negative Behavioral and Psychiatric Conditions, 572
Galletly, C. A., *see* Balzan, R. P.
Galvez, J., *see* Castilla-Puentes, R.
Galynker, I., *see* Cohen, L. J.
García-Alberca, J. M., Lara, J. P., Cruz, B., Garrido, V., Gris, E., and Barbancho, M. Á., Sleep Disturbances in Alzheimer's Disease Are Associated With Neuropsychiatric Symptoms and Antidementia Treatment, 251
Garcia-Lopez, A., *see* Montes, J. M.
García-Nieto, R., López-Castromán, J., Blasco-Fontecilla, H., Ginestar, C. M., and Baca-García, E., Psychiatrists and Psychologists Practice Patterns: Different Profiles in a Spanish Clinical Sample, 1089
Garrido, V., *see* García-Alberca, J. M.
Gearing, R. E., Brewer, K. B., Schwalbe, C. S. J., Mackenzie, M. J., and Ibrahim R. W., Stigma and Adolescents With Psychosis in the Middle East: Implications for Engaging in Mental Health Treatment, 68
Gelenberg, A. J., Dunner, D. L., Rothschild, A. J., Pedersen, R., Dorries, K. M., and Ninan, P. T., Sexual Functioning in Patients With Recurrent Major Depressive Disorder Enrolled in the PREVENT Study, 266
Gelkopf, M., Roe, D., Werbeloff, N., Hasson-Ohayon, I., Mueser, K. T., Caspi, A., and Weiser, M., The Prevalence of Full and Partial Posttraumatic Stress Disorder Among People With Severe Mental Illness in Israel, 244
Ghalib, K., *see* Harper, G.
Ghazinour, M., *see* Abadi, M. N. L.
Gillieron, C., *see* Rieben, I.
Ginestar, C. M., *see* García-Nieto, R.
Girardi, P., *see* Armando, M.
Girardi, P., *see* Comparelli, A.
Girardi, P., *see* Pompili, M.
Gleaves, D. H., *see* Latner, J. D.
Goldner, E., *see* Lecomte, T.
Golinelli, D., *see* Hunt, J.
Gooding, D. C., *see* Pflum, M. J.
Goodwin, R. D., *see* Bandiera, F. C.
Gorelick, D. A., *see* Kopelman, A. M.
Gorin-Lazard, A., Baumstarck, K., Boyer, L., Maquigneau, A., Penochet, J-C., Pringuey, D., Albarel, F., Morange, I., Bonierbale, M., Lançon, C., and Auquier, P., Hormonal Therapy Is Associated With Better Self-esteem, Mood, and Quality of Life in Transsexuals, 996
Gorritz, M., *see* Lewis-Fernández, R.
Goin, M. K., *Asperger Syndrome in Adulthood: A Comprehensive Guide for Clinicians.* Kevin Stiddart, Lillian Burke, and Robert King (2012) New York, NY: W.W. Norton & Company, Inc. 352 pp., 830
Gournellis, R., *see* Tournikioti, K.
Granato, A. G., *see* Li, H.
Granieri, A., *see* Barbasio, C.
Gregg, L., *see* Holding, J. C.
Gris, E., *see* García-Alberca, J. M.
Grubaugh, A. L., *see* Elhai, J. D.
Gumley, A., *see* MacBeth, A.
Gupta, M., *see* Bowie, C. R.
H
Haas-Krammer, A., *see* Schienle, A.
Haggerty, G., Kahoud, D., Walsh, E., Forlenza, N., Ahmed, Z., and Ditkowsky, K., A Brief Measure of Psychological Health and Well-Being: Initial Validation of the Schwartz Outcome Scale for an Adolescent Inpatient Sample, 216
Haggerty, G., Kahoud, D., Walsh, E., Ahmed, Z., and Blais, M. A., A Brief Inpatient Measure of Global Psychiatric Symptom Severity: Initial Validation of the Brief Symptom Measure-25 for an Adolescent Inpatient Sample, 971
Hale-Richlen, B., *see* Verhulst, J.
Halevy, L., *see* Stein, D.
Halmi, W., *see* Cohen, L. J.
Hamama-Raz, Y., *see* Ben-Ezra, M.
Han, X., *see* Sullivan, G.
Hannan, A., *see* Brakoulias, V.
Hansen, C. F., TorgalsbLen, A.-K., Torgalsbøen, A.-K., Røssberg, J. I., Romm, K. L., Andreassen, O. A., Bell, M. D., and Melle, I., Object Relations, Reality Testing, and Social Withdrawal in Schizophrenia and Bipolar Disorder, 222
Hansen, H., *see* Lewis-Fernández, R.
Haro, J. M., *see* Ochoa, S.
Hart, A. S., *see* Phillips, K. A.
Harrow, M., *see* Sarapas, C.
Harper, G., Becker, D., Copans, S. A., Flaherty, L. T., Ghalib, K., Krasner, A. J., Kwok, S., Onesti, S, J., Wittenberg, J., Being With the Patient: The Use of "Clinical Evidence," Reconsidered, 813
Harvey, J., *see* Morris, T.
Hasson-Ohayon, I., *see* Gelkopf, M.
Hasson-Ohayon, I., *see* Zisman-Ilani, Y.
Hawk, C., *see* Church, D.
Hawkins, K. A., and Cougle, J. R., A Test of the Unique and Interactive Roles of Anger Experience and Expression in Suicidality: Findings From a Population-Based Study, 959
Hennrich, L., *see* Dyer, A.

Henze, R., *see* Kaess, M.
Henze, R., *see* von Ceumern-Lindenstjerna, I-A.
Heres, S., *see* Samalin, L.
Hernández-Tinoco, J., *see* Alvarado-Esquivel, C.
Heron, E. A., Bryan, C. J., Dougherty, C. A., and Chapman, W. G. Military Mental Health: The Role of Daily Hassles While Deployed 1035
Hijman, R., *see* van Vliet, I.M.
Hill, E. M., *see* Thatte, S.
Hindermann, E., *see* Mueller-Pfeiffer, C.
Hinton, D. E., *see* Lewis-Fernández, R.
Hinton, L., *see* Lewis-Fernández, R.
Hoge, C. W., *see* Wilk, J. E.
Holding, J. C., Tarrier, N., Gregg, L., and Barrowclough, C., Self-esteem and Relapse in Schizophrenia: A 5-Year Follow-up Study, 653
Hollander, A-C., Bruce, D., Burström, B., and Ekblad, S., The Association Between Immigrant Subgroup and Poor Mental Health: A Population-Based Register Study, 645
Holshausen, K., *see* Bowie, C. R.
Holt, D., *see* Pedrelli, P.
Honer, W. G., *see* Lecomte, T.
Horsfield, M., *see* Calleo, J. S.
Hu, C.-J., *see* Ku, H.-L
Huguelet, P., *see* Rieben, I.
Huh, T. J. W., *see* Mills, P.
Hulbert, C. A., *see* Bendall, S.
Humensky, J., *see* Lewis-Fernández, R.
Hunt, J., *see* Eisenberg, D.
Hunt, J., Sullivan, G., Chavira, D. A., Stein, M. B., Craske, M. G., Golinelli, D., Roy-Byrne, P. P., Sherbourne, C. D., Race and Beliefs About Mental Health Treatment Among Anxious Primary Care Patients, 188
Hyphantis, T. N., *see* Carvalho, A. F.
I
Iacovides, A., *see* Fountoulakis, K. N.
Ibrahim, R. W., *see* Gearing, R. E.
Innamorati, M., *see* Pompili, M.
Illa, L. *Executive Function & Child Development*. Marice Yeager and Daniel Yeager. (2013) New York: W.W. Norton & Company, Inc. 204 pp., 1005
Ille, R., *see* Schienle, A.
IsHak, W. W., *see* Ramos, N.
J
Jackson, H. J., *see* Bendall, S.
Jacobsen, F. M., *see* Lewis-Fernández, R.
Jaeger, U., *see* Salzer, S.
Jakubczyk, A., Klimkiewicz, A., Mika, K., Bugaj, M., Konopa, A., Podgórska, A., Browner, K. J., and Wojnar, M., Psychosocial Predictors of Impulsivity in Alcohol-Dependent Patients, 43
Jamil, H., *see* Arnetz, J.
Janiri, L., *see* Mazza, M.
Jeon, H. J., Park, J-H., and Shim, E-J., Permissive Attitude Toward Suicide and Future Intent in Individuals With and Without Depression: Results From a Nationwide Survey in Korea, 286
Johnson, S. C., *see* Elbogen, E. B.
Jon, D-I., *see* Kim, K. R.
Jonsson, T., *see* Liberg, B.
Jodar, M., *see* Fernandez-Gonzalo, S.
Jokic, R., *see* Bowie, C. R.
Joska, J. A., *see* Mall, S.
Jost, W. H., *see* Pilhatsch, M.
Jun, T-Y., *see* Wang, H. R.
Jung, Y-E., *see* Wang, H. R.
Juruena, M. F., *see* Carr, C. P.
K
Kõlves, K., and De Leo, D., Suicide in Medical Doctors and Nurses: An Analysis of the Queensland Suicide Register, 987
Kaess, M., Resch, F., Parzer, P., von Ceumern-Lindenstjerna, I.-A., Henze, R., and Brunner, R., Temperamental Patterns in Female Adolescents With Borderline Personality Disorder, 109
Kahoud, D., *see* Haggerty, G.
Kahoud, D., *see* Haggerty, G.
Kang, S., *see* Lecomte, T.
Kansky, C., *see* Luchini, F.
Kapfhammer, H.-P., *see* Schienle, A.
Kapusta, N. D., *see* Fischer-Kern, M.
Katz, L. Y., *see* Turnbull, D. L.
Keeman, S., *see* Meijer, J. H.
Keller, S. M., *see* Chen, J. A.
Kelly, D. L., *see* Koola, M. M.
Kemp, J., *see* Mills, P. D.
Ketter, T. A., *see* Citrome, L.
Khan, N., *see* Vibha, P.
Kim, K., *see* Wang, H. R.
Kim, S. J., *see* Kim, K. R.
Kim, K. R., Cho, H-S., Kim, S. J., Seok, J-H., Lee, E., and Jon, D-I., Reevaluation of Patients With Bipolar Disorder on Manic Episode: Improving the Diagnosing of Mixed Episode, 686
Kira, I. A., *see* Fawzi, M. H.
Kirpinar, I., *see* Yazici, E.
Kirshenbaum, K., *see* Anders, T. F.
Kleindienst, N., *see* Krause-Utz, A.
Klimkiewicz, A., *see* Jakubczyk, A.
Knouse, L. E., Traeger, L., O'Cleirigh, C., and Safren, S. A., Adult Attention Deficit Hyperactivity Disorder Symptoms and Five-Factor Model Traits in a Clinical Sample: A Structural Equation Modeling Approach, 848
Koch, A., *see* Wölfling, K.
Kocsis-Bogár, K., Miklósi, M., and Forintos, D. P., Impact of Adverse Life Events on Individuals With Low and High Schizotypy in a Nonpatient Sample, 208
Konopa, A., *see* Jakubczyk, A.
Koola, M. M., Qualls, C., Kelly, D. L., Skelton, K., Bradley, B., Amar, R., and Duncan, E. J., Prevalence of Childhood Physical and Sexual Abuse in Veterans With Psychiatric Diagnoses, 348
Kopelman, A. M., Gorelick, D. A., and Appelbaum, P. S., Disclosures of Conflicts of Interest in Psychiatric Review Articles, 84
Kopelman, A., *see* Kopelman, A.
Kopelowicz, A., *see* Breitborde, N. J.
Kopelowicz, A., *see* Lewis-Fernández, R.
Kotzalidis, G. D., *see* Comparelli, A.
Krüger, C., *see* Martínez-Taboas, A.
Kramer, D., *see* Verhulst, J.
Kramer, U., de Roten, Y., Perry J. C., and Despland J-N., Change in Defense Mechanisms and Coping Patterns During the Course of 2-Year–Long Psychotherapy and Psychoanalysis for Recurrent Depression: A Pilot Study of a Randomized Controlled Trial, 614
Kraus-Schuman, C., *see* Calleo, J. S.
Krause-Utz, A., Sobanski, E., Alm, B., Valerius, G., Kleindienst, N., Bohus, M., and Schmahl, C., Impulsivity in Relation to Stress in Patients With Borderline Personality Disorder With and Without Co-occurring Attention-Deficit/Hyperactivity Disorder: An Exploratory Study, 116
Krause-Utz, A., *see* Krause-Utz, A.
Krasner, A. J., *see* Harper, G.
Kravetz, S., *see* Zisman-Ilani, Y.
Kreitler, S., *see* Stein, D.
Kroemer, N. B., *see* Pilhatsch, M.
Krol, A., *see* Schrier, A. C.
Krüger, C., *see* Sar, V.
Ku, H.-L., Chen, C.-H., Yang, Y.-T., Hu, C.-J., Wu, D., Chen, C.-C., Chen, P.-C., and Chi, N-F., Association Between Cerebral Lesions and Emotional Changes in Acute Ischemic Stroke Patients, 400
Kukla, M., Salyers, M. P., and Lysaker, P. H., Levels of Patient Activation Among Adults With Schizophrenia: Associations With Hope, Symptoms, Medication Adherence, and Recovery Attitudes, 339
Kunik, M. E., *see* Calleo, J. S.
Kupka, R. W., *see* Schrier, A. C.
Kwok, S., *see* Harper, G.
L
Lai, A., *see* Serra, M.
Lançon, C., *see* Gorin-Lazard, A.
Landén, M., *see* Liberg, B.
Lang, D., *see* Lecomte, T.
Langdon, R., *see* Carse, T.
Lamboussis, E., *see* Tournikioti, K.
Lara, J. B., *see* García-Alberca, J. M.
Latner, J. D., *see* Ebneter, D. S.

Latner, J. D., Mond, J. M., Vallance, J. K., Gleaves, D. H., and Buckett, G., Quality of Life Impairment and the Attitudinal and Behavioral Features of Eating Disorders, 592
Lattanzi, L., *see* Luchini, F.
Lecic-Tosevski, D., Pejuskovic, B., Miladinovic, T., Toskovic, O., and Priebe, S., Posttraumatic Stress Disorder in a Serbian Community: Seven Years After Trauma Exposure, 1040
Lecomte, T., Mueser, K. T., MacEwan, W., Thornton, A. E., Buchanan, T., Bouchard, V., Goldner, E., Brink, J., Lang, D., Kang, S., Barr, A. M., and Honer, W. G., Predictors of Persistent Psychotic Symptoms in Persons With Methamphetamine Abuse Receiving Psychiatric Treatment, 1085
Lee, C. W., and Arntz, A., A Commentary on the Study on Dual-Focused vs. Single-Focused Therapy for Personality Disorders and Substance Dependence by Ball et al. (2011): What Can We Really Conclude?, 712
Lee, E., *see* Kim, K. R.
Lee, K., *see* Westermeyer, J.
Leibing, E., *see* Salzer, S.
Leichsenring, F., *see* Salzer, S.
Leithner, K., *see* Fischer-Kern, M.
Lemgruber, V. B., see Carr, C. P.
Lessard, M.-J., *see* Poirier-Bisson, J.
Lester, D., *see* Pompili, M.
Levinson, A., *see* Rodriguez, C. I.
Lev-Ran, S., *see* Nitzan, U.
Levy-Frank, I., *see* Zisman-Ilani, Y.
Lewis-Fernández, R., Raggio, G. A., Gorritz, M., Duan, N., Marcus, S., Cabassa, L. J., Humensky, J., Becker, A. E., Alarcón, R. D., Oquendo, M. A., Hansen, H., Like, R. C., Weiss, M., Desai, P. N., Jacobsen, F. M., Foulks, E. F., Primm, A., Lu, F., Kopelowicz, A., Hinton, L., and Hinton, D. E., GAP-REACH: A Checklist to Assess Comprehensive Reporting of Race, Ethnicity, and Culture in Psychiatric Publications, 860
Liberg, B., Adler, M., Jonsson, T., Landén, M., Rahm, C., Wahlund, L-O., Wiberg-Kristoffersen, M., and Wahlund, B., Motor Imagery in Bipolar Depression With Slowed Movement, 885
Lichtenberg, P., *see* Nitzan, U.
Liesenfeld, O., *see* Alvarado-Esquivel, C.
Like, R. C., *see* Lewis-Fernández, R.
Lim, M. H., The Jumping-to-Conclusions Bias in New Religious Movements, 258
Lin, A., *see* Armando, M.
Lingam, R., Improving Access in Borderline Therapy for Difficult-to-Engage Patients: A Clinical Description, 136
Lingam, R., *see* Lingam, R.
Litta, A., *see* Luchini, F.
Liu, S-M., *see* Rodriguez, C. I.
Li, H., Friedman-Yakoobian, M., Min, G., Granato, A. G., Seidman, L. J., Working With Asian American Youth at Clinical High Risk for Psychosis: A Case Illustration, 484
Li, X., *see* Wang, M.
Liu, N. H., *see* Cook, E. A.
López Álvarez, M., *see* Saavedra, J.
López, S. R., *see* Breitborde, N. J.
López-Longoria, J. C., *see* Alvarado-Esquivel, C.
López, S., see Breitborde, N.
Llorca, P., *see* Samalin, L.
Loewenstein, R. J., *see* Brand, B.
Loewenstein, R. J., *see* Brand, B. L.
López-Castromán, F., *see* García-Nieto, R.
Lu, F., *see* Lewis-Fernández, R.
Luchini, F., Lattanzi L., Bartolommei, N., Cosentino, L., Litta, A., Kansky, C., Mauri, M., Cassano, G. B., Fagiolini, A., and Casamassima, F., Catatonia and Neuroleptic Malignant Syndrome: Two Disorders on a Same Spectrum? Four Case Reports, 36
Luyten, P., *see* Fischer-Kern, M.
Lysaker, P. H., *see* Eicher, A. C.
Lysaker, P. H., *see* Kukla, M.
M
Müller, K. W., *see* Wölfling, K.
MacBeth, A., Gumley, A., Schwannauer, M., and Fisher, R., Service Engagement in First Episode Psychosis: Clinical and Premorbid Correlates, 359
MacDonald, D. A., *see* Migdal, L.
MacEwan, W., *see* Lecomte, T.
Macêdo D. S., *see* Carvalho, A. F.
MacKenzie, M. J., *see* Gearing, R. E.
Mack, A. H., The Psychiatric Report: Principles and Practice of Forensic Writing, 81
Mack, A. H., *see* Mack, A. H.
Makinen, J. A., *see* Thatte, S.
Mall, S., Sorsdahl, K., Struthers, H., and Joska, J. A., Mental Health in Primary Human Immunodeficiency Virus Care in South Africa: A Study of Provider Knowledge, Attitudes, and Practice, 196
Mancini, C., *see* Ameringen, M. V.
Maquigneau, A., *see* Gorin-Lazard, A.
Marcus, S., *see* Lewis-Fernández, R.
Marchand, A., *see* Poirier-Bisson, J.
Martínez-Taboas, A., Dorahy, M., Sar, V., Middleton, W., and Krúger, C., Growing Not Dwindling: International Research on the Worldwide Phenomenon of Dissociative Disorders, 353
Martínez-Taboas, A., *see* Sar, V.
Martin, A., *see* Brakoulias, V.
Martinson, A., *see* Craner, J.
Martin-Soelch, C., *see* Mueller-Pfeiffer, C.
Martins, C. M. S., *see* Carr, C. P.
Masala, C., *see* Serra, M. 201: 311
Mashiach-Eizenberg, M., *see* Zisman-Ilani, Y.
Masozera, N., *see* Calleo, J. S.
Masuhr, O., *see* Salzer, S.
Matthews, L. R., *see* Anwar, J.
Mauri, M., *see* Luchini, F.
Mayer, J., *see* Aggarwal, S. K.
Mazza, M., Di Nicola, M., Janiri, L., and Bria, P., To Be or Not to Be a Bipolar Disorder Patient: Problems With Diagnosis, 435
Mazzone, L., *see* Armando, M.
McCormick, B., *see* Black, D. W.
McDuff, P., *see* Duval, M.
McGillicuddy, M., *see* M.
McGorry, P. D., *see* Craner, J.
McGrath, J. J., *see* Varghese, D.
McGrew, J. H., *see* Stull, L. G.
McGurk, D., *see* Wilk, J. E.
McHugh, P., Do Fads Ever Die?, 357
McHugh, P., *see* McHugh, P.
McIntyre, J. S., *A Piece of My Mind.* Gordon Parker. (2012) New York: Macmillan. iv + 352 pp., 915
Meijer, C. J., *see* Meijer, J. H.
Meijer, J. H., Swets, M., Keeman, S., Nieman, D. H., Meijer, C. J., and GROUP Investors, Is a Schizo-Obsessive Subtype Associated With Cognitive Impairment? Results From a Large Cross-sectional Study in Patients With Psychosis and Their Unaffected Relatives, 30
Melle, I., *see* Hansen, C. F.
Melle, I., *see* Vaskinn, A.
Mena, B., *see* Estrada, R. V.
Menard, W., *see* Phillips, K. A.
Michal, M., *see* Tschan, R.
Michaels, P. J., *see* Corrigan, P. W.
Michels, R., *In Search of the Good: A Life in Bioethics.* Daniel Callahan. Cambridge, MA: The MIT Press, 2012. 232 pp. and *The Roots of Bioethics: Health, Progress, Technology, Death.* Daniel Callahan. New York: Oxford University Press, 2012. 256 pp., 541
Michopoulos, I., *see* Tournikioti, K.
Middleton, W., *see* Martínez-Taboas, A.
Middleton, W., *see* Sar, V.
Migdal, L., and MacDonald, D. A., Clarifying the Relation Between Spirituality and Well-Being, 274
Mika, K., *see* Jakubczyk, A.
Miklósi, M., *see* Kocsis-Bogár, K.
Miladinovic, T., *see* Lecic-Tosevski, D.
Mildred, H., *see* Black, E. B.
Milev, R., *see* Bowie, C. R.
Milicevic, D., *see* Brakoulias, V.
Miller, I. W., *see* Weinstock, L. M.
Millikan, A. M., *see* Gallaway, M. S.
Mills, P. D., Watts B. V., Huh, T. J.W., Boar, S., Kemp, J., Helping Elderly Patients to Avoid Suicide: A Review of Case Reports From a National Veterans Affairs Database, 12
Min, G., *see* Li, H.

Mitchell, M. M., *see* Gallaway, M. S.
Moergeli, H., *see* Mueller-Pfeiffer, C.
Mohamed, H. E., *see* Fawzi, M. H.
Mohr, S., *see* Rieben, I.
Molina-Espinoza, L. F., *see* Alvarado-Esquivel, C.
Moore, B. A., *see* Cieslak, R.
Mond, J. M., *see* Latner, J. D.
Morey, L. C., Bender, D. S, and Skodol, A. E., Validating the Proposed *Diagnostic and Statistical Manual of Mental Disorders, 5th Edition,* Severity Indicator for Personality Disorder, 729
Montes, J. M., Alegria, A, Garcia-Lopez, A., Ezquiaga, E., Balanzá-Martínez, V., Sierra, P., Toledo, F., Alcaraz, C., Perez, J., and de Dios, C., Understanding Bipolar Disorder in Late Life: Clinical and Treatment Correlates of a Sample of Elderly Outpatients, 674
Morange, I., *see* Gorin-Lazard, A.
Morrill, R., *see* Aggarwal, S. K.
Molina-Espinoza, L. F., *see* Alvarado-Esquivel, C.
Molina, V., and Blanco, J. A., A Proposal for Reframing Schizophrenia Research, 744
Morris, T., Naidoo, P., Cloete, K. J., Harvey, J., Seedat, S., No Association Between Cumulative Traumatic Experiences and Sex in Risk for Posttraumatic Stress Disorder Among Human Immunodeficiency Virus–Positive Adults, 504
Moses, K., *see* Brakoulias, V.
Mota, N., *see* Palitsky, D.
Moussas, G., *see* Tournikioti, K.
Mpofu, E., *see* Anwar, J.
Mueller-Pfeiffer, C., Moergeli, H., Schumacher, S., Martin-Soelch, C., Wirtz, G., Fuhrhans, C., Hindermann, E., and Rufer, M., Characteristics of Child Maltreatment and Their Relation to Dissociation, Posttraumatic Stress Symptoms, and Depression in Adult Psychiatric Patients, 471
Mueser, K. T., *see* Gelkopf, M.
Mueser, K. T., *see* Lecomte, T.
Mulligan, M., *see* Pedrelli, P.
Munroe, M. K., *see* Weinstock, L. M.
Myer, L., *see* Temmingh, H.
N
Naderer, A., *see* Fischer-Kern, M.
Naidoo, P., *see* Morris, T.
Najman, J. M., *see* Varghese, D.
Nastro, P. F., *see* Armando, M.
Nesci, C., *see* Cohen, L.J.
Newton, V. M., *see* Elbogen, E. B.
Ng, B., *see* Castilla-Puentes, R.
Nguyen, H. N. T., *see* Thatte, S.
Nich, C., *see* Buchanan, A.
Niciu, M. J., *Neuroimaging in Addiction.* (2011) Byron Adinoff and Elliot A. Stein, Eds. Hoboken, NJ: John Wiley & Sons, Ltd. 420 pp., 444
Nieman, D. H., *see* Meijer, J. H.
Nillni, Y. I., Nosen, E., Williams, P. A., Tracy, M., Coffey, S. F., and Galea, S., Unique and Related Predictors of Major Depressive Disorder, Posttraumatic Stress Disorder, and Their Comorbidity After Hurricane Katrina, 841
Ninan, P. T., *see* Gelenberg, A. J.
Nitzan, U., Feffer, K., Bloch, Y., Lichtenberg, P., Lev-Ran, S., Becker, G., Wolfman, S., and Fennig, S., Consenting Not to Be Informed: A Survey on the Acceptability of Placebo Use in the Treatment of Depression, 345
Nogueira, M., *see* Estrada, R. V.
Nojomi, M., *see* Abadi, M. N. L.
Noom, M., *see* Colins, O. F.
Nosen, E., *see* Nillni, Y. I.
Novick, D., *see* Ochoa, S.
Novy, D. M., *see* Calleo, J. S.
Nyer, M., *see* Pedrelli, P.
Nygren L., *see* Abadi, M. N. L.
O
O'Cleirigh, C., *see* Knouse, L. E.
O'Connor, M., *see* Armour, C.
Ochoa, S., Suarez, D., Novick, D., Arranz, B., Roca, M., Baño, V., and Haro, J. M., Factors Predicting Hostility in Outpatients With Schizophrenia: 36-Month Results From the SOHO Study, 464
Odin, P., *see* Pilhatsch, M.
Oldham, J., *see* Elhai, J. D.
Oleski, J., *see* Turnbull, D. L.
Onesti, S. J., *see* Harper, G.
Oquendo, M. A., *see* Lewis-Fernández, R.
Orbach, I., *see* Stein, D.
Orhan, A., *see* Yazici, E.
P
Palao, D., *see* Fernandez-Gonzalo, S.
Palgi, Y., *see* Ben-Ezra, M.
Palitsky, D., Mota, N., Afifi, T. O., Downs, A. C., and Sareen, J., The Association Between Adult Attachment Style, Mental Disorders, and Suicidality: Findings From a Population-Based Study, 579
Palomar, G., *see* Estrada, R. V.
Park, J., *see* Jeon, H. J.
Parker, G., *see* Caldieraro, M. A.
Parker, S. L., *see* Barnard-Brak, L.
Patterson, B., *see* Ameringen, M. V.
Paris, J., Response to Dissociative Identity Disorder Letters From Martinez-Taboas et al. and Brand et al., 356
Paris, J. Expanding the Scope of Treatment for Borderline Personality Disorder, 143
Parzer, P., *see* Kaess, M.
Pedersen, R., *see* Gelenberg, A. J.
Pedrelli, P., Nyer, M., Holt, D., Bakow, B. R., Fava, M., Baer, L., Cassiello, C., Mulligan, M., Cusin, C., and Farabaugh, A., Correlates of Irritability in College Students With Depressive Symptoms, 953
Pejuskovic, B., *see* Lecic-Tosevski, D.
Penochet, J-C., *see* Gorin-Lazard, A.
Perez, J., *see* Montes, J. M.
Perry, J. C., *see* Kramer, U.
Perroud, N., *see* Rieben, I.
Peter, M., Schuurmans, H., Vingerhoets, A. J.J.M., Smeets, G., Verkoeijen, P., and Arntz, A., Borderline Personality Disorder and Emotional Intelligence, 99
Pompili, M., Sher, L., Serafini, G., Forte, A., Innamorati, M., Dominici, G., Lester, D., Amore, M., Girardi, P., Posttraumatic Stress Disorder and Suicide Risk Among Veterans: A Literature Review, 802
Peterson, A. L., *see* Cieslak, R.
Petretto, D. R., *see* Serra, M.
Pelland, M.-E., *see* Poirier-Bisson, J.
Pflum, M. J., Gooding, D. C., and White, H. J., Hint, Hint: Theory of Mind Performance in Schizotypal Individuals, 394
Phillips, K. A., Hart, A. S., Menard, W., and Eisen, J. L., Psychometric Evaluation of the Brown Assessment of Beliefs Scale in Body Dysmorphic Disorder, 640
Phillips, J., *The Conceptual Evolution of* DSM-5. Darrel A. Regier, William E. Narrow, Emily A. Kuhl, and David J. Kupfer, Eds. (2011) Arlington, VA: American Psychiatric Publishing. xxix + 359 pp (Softcover), 828
Pilhatsch, M., Kroemer, N. B., Scheneider, C., Ebersbach, G., Jost, W. H., Fuchs, G., Odin, P., Reifschneider, G., Bauer, M., Reichmann, H., and Storch, A., Reduced Body Mass Index in Parkinson's Disease: Contribution of Comorbid Depression, 76
Pinheiro, D. O., *see* Caldieraro, M. A.
Pioli, R., *see* Serra, M.
Plachouras, D., *see* Tournikioti, K.
Podgórska, A., *see* Jakubczyk, A.
Porcerelli, J. H., *see* Cogan, R.
Pousa, E., *see* Fernandez-Gonzalo, S.
Poirier-Bisson, J., Marchand, A., Pelland, M.-E., Lessard, M.-J., Dupuis, G., Fleet, R., and Roberge, P., Incremental Cost-effectiveness of Pharmacotherapy and Two Brief Cognitive-Behavioral Therapies Compared With Usual Care for Panic Disorder and Noncardiac Chest Pain, 753
Powell, K. J., *see* Corrigan, P. W.
Preti, A., *see* Serra, M.
Priebe, S., *see* Lecic-Tosevski, D.
Primm, A., *see* Lewis-Fernández, R.
Pringuey, D., *see* Gorin-Lazard, A.
Pumariega, A. J., *see* Cagande, C. C.
Q
Qualls, C., *see* Koola, M. M.
R
Røssberg, J. I., *see* Hansen, C. F.
Raggio, G. A., *see* Lewis-Fernández, R.

Rahm, C., *see* Liberg, B.
Ramos, M. A., Drugs in Context: A Historical Perspective on Theories of Psychopharmaceutical Efficacy, 926
Ramos, N., Wystrach, C., Bolton, M., Shaywitz, J., and IsHak, W. W., Delusional Disorder, Somatic Type: Olfactory Reference Syndrome in a Patient With Delusional Trimethylaminuria, 537
Ramos-Quiroga, J. A., *see* Estrada, R. V.
Ramírez S. P., *see* Carvalho, A. F.
Ramirez, R., *see* Bandiera, F. C.
Currier, M. B., Psychiatry and Heart Disease: The Mind, Brain and Heart, 80
Rebouças J. C., *see* Carvalho, A. F.
Reichmann, H., *see* Pilhatsch, M.
Reifschneider, G., *see* Pilhatsch, M.
Resch, F., *see* Kaess, M.
Rhoades, H. M., *see* Calleo, J. S.
Ribeiro, M. R., *see* Caldieraro, M. A.
Richarte, V., *see* Estrada, R. V.
Richter, J., *see* Abadi, M. N. L.
Rieben, I., Mohr, S., Borras, L., Gillieron, C., Brandt, P-Y., Perroud, N., and Huguelet, P., A Thematic Analysis of Delusion With Religious Contents in Schizophrenia: Open, Closed, and Mixed Dynamics, 665
Righetti, V., *see* Armando, M.
Ritov, G., and Barnetz, Z., The Moderating Effect of Parenthood in the Relationship Between Posttraumatic Stress Disorder Symptoms and Lateral Preference in Israeli Reserve Combat Troops, 703
Roberge, P., *see* Poirier-Bisson, J.
Robinson, G. E., *see* Abrams, K. M.
Roca, M., *see* Ochoa, S.
Roe, D., *see* Gelkopf, M.
Rodriguez, C. I., Simpson, H. B., Liu, S.-M., Levinson, A., Blanco, C. Prevalence and Correlates of Difficulty Discarding: Results From a National Sample of the US Population, 795
Roe, D., *see* Zisman-Ilani, Y.
Rofa, Y., *see* Arnetz, J.
Romm, K. L., *see* Hansen, C.F.
Rose, G., *see* Brener, L.
Rosen, M. I., *see* Black, A. C.
Rothschild, A. J., *see* Gelenberg, A. J.
Rothschild-Yakar, L., Waniel, A., Stein, D., Mentalizing in Self vs. Parent Representations and Working Models of Parents as Risk and Protective Factors From Distress and Eating Disorders, 510
Roy-Byrne, P. P., *see* Hunt, J.
Rufer, M., *see* Mueller-Pfeiffer, C.
Ruiz, P., *Distress Tolerance—Theory, Research, and Clinical Applications.* Michael J. Zvolensky, Amit Bernstein, Anka A. Vujanovic (Eds) (2011) New York, NY: The Guilford Press. 288 pp., 723
S
Saavedra, J., and López Álvarez, M., Association Between Traumatic Experiences and Psychosis Among Incarcerated Men, 773
Sánchez-Anguiano, L. F., *see* Alvarado-Esquivel, C.
Saba, R., *see* Armando, M.
Saddichha, S., *see* Vibha, P.
Safer, D. J., and Zito, J. M., Number Needed to Harm: Its Limitations in Psychotropic Drug Safety Research, 714
Safer, D. J., and Zito, J. M. Number Needed to Harm, 1003
Safren, S. A., *see* Knouse, L. E.
Sala, R., *see* Castilla-Puentes, R.
Salas-Martínez, C., *see* Alvarado-Esquivel, C.
Sales P. M. G., *see* Carvalho, A. F.
Salyers, M. P., *see* Kukla, M.
Salyers, M. P., *see* Stull, L. G.3
Salzer, S., Streeck, U., Jaeger, U., Masuhr, O., Warwas, J., Leichsenring, F., and Leibing, E., Patterns of Interpersonal Problems in Borderline Personality Disorder, 94
Samalin, L., Charpeaud T., Blanc, O., Heres, S., and Llorca, P-M., Clinicians Attitudes Toward the Use of Long-Acting Injectable Antipsychotics, 553
Sammut, P., *see* Brakoulias, V.
Simpson, H. B., *see*
Sar, V., Krúger, C., Martínez-Taboas, A., Middleton, W., Dorahy, M., Sociocognitive and Posttraumatic Models of Dissociation Are Not Opposed, 439
Sar, V., *see* Rodriguez, C. I.
Sar, V., *see* Martínez-Taboas, A.
Sarapas, C., Shankman, S. A., Harrow, M., Faull, R, N., Attention/Processing Speed Prospectively Predicts Social Impairment 18 Years Later in Mood Disorders, 824
Sareen, J., *see* Palitsky, D.
Saveanu, R. V., *Treatment Resistance and Patient Authority.* Eric M. Plakun. New York: W.W. Norton and Company, Inc, 2011., 539
Saveanu, R. V., Obsessive Compulsive Disorder. Joseph Zohar (Ed.) (2012) Hoboken, NJ: John Wiley & Sons, Ltd. vi-399 pp., 831
Savoja, V., *see* Comparelli, A.
Schöggl, H., *see* Schienle, A.
Scheiber, S. C., *Trouble in Mind: An Unorthodox Introduction to Psychiatry.* Dean F. MacKinnon. Baltimore, MD: The Johns Hopkins University Press, 2011. 323 pp., 542
Schienle, A., Haas-Krammer, A., Schöggl, H., Kapfhammer, H-P., and Ille, R., Altered State and Trait Disgust in Borderline Personality Disorder, 105
Schmahl, C., *see* Krause-Utz, A.
Schubert, J. R., and Coles, M. E., Obsessive-Compulsive Symptoms and Characteristics in Individuals with Delayed Sleep Phase Disorder, 877
Schumacher, S., *see* Mueller-Pfeiffer, C.
Schmidt, M., *see* Barnard-Brak, L.
Schneider, C., *see* Pilhatsch, M.
Schrier, A. C., de Wit, M. A. S., Krol, A., Fassaert, T. J. L., Verhoeff, A. P., Kupka, R. W., Dekker, J., and Beekman, A. T. F., Similar Associations Between Personality Dimensions and Anxiety or Depressive Disorders in a Population Study of Turkish-Dutch, Moroccan-Dutch, and Native Dutch Subjects, 421
Schuurmans, H., *see* Peter, M.
Schwannauer, M., *see* MacBeth, A.
Schwalbe, C. J. S., *see* Gearing, R. E.
Scott, J. G., *see* Varghese, D.
Seedat, S., *see* Morris, T.
Seidman, L. J., *see* Li, H.
Seok, J-H., *see* Kim, K. R.
Serowik, K. L., *see* Black, A. C.
Serra, M., Lai, A., Buizza, C., Pioli, R., Preti, A., Masala, C., and Petretto, D. R., Beliefs and Attitudes Among Italian High School Students Toward People With Severe Mental Disorders, 311
Serafini, G., *see* Pompili, M.
Shankman, S. A., *see* Sarapas, C.
Shaywitz, J., *see* Ramos, N.
Sher, L., *see* Pompili, M.
Sherbourne, C. D., *see* Hunt, J.
Shevlin, M., *see* Armour, C.
Shim, E., *see* Jeon, H. J.
Shrira, A., *see* Ben-Ezra, M.
Shuqiao, Y., *see* Wang, M.
Sierra, P., *see* Montes, J. M.
Sigmon S., *see* S.
Sifuentes-Álvarez, A., *see* Alvarado-Esquivel, C.
Simpson, W., *see* Ameringen, M. V.
Skelton, K., *see* Koola, M. M.
Skopp, N., *see* Bush, N. E.
Smeets, G., *see* Peter, M.
Smolenski, D., *see* Bush, N. E.
Sobanski, E., *see* Krause-Utz, A.
Soffer, Y., *see* Ben-Ezra, M.
Song, H-R., *see* Wang, H. R.
Sorsdahl, K., *see* Mall, S.
Speer, N., *see* Eisenberg, D.
Spiegel, D., *see* Brand, B.
Spiegel, D., *see* Brand, B. L.
Stanley, M. A., *see* Calleo, J. S.
Starcevic, V., *see* Brakoulias, V.
Stein, D., *see* Rothschild-Yakar, L.
Stein, D. J., *see* Temmingh, H.
Stein, D., Zinman, D., Halevy, L., Yaroslavsky, A., Bachar, E., Kreitler, S., and Orbach, I. Attitudes Toward Life and Death and Suicidality Among Inpatient Female Adolescents With Eating Disorders, 1066
Skodol A. E., *see* Morey L. C.
Stein, M. B., *see* Hunt, J.
Stein, P., *see* Church, D.

Stingel, A. M., *see* Carr, C. P.
Storch, A. ssee Pilhatsch, M.
Streeck, U., *see* Salzer, S.
Struthers, H., *see* Mall, S.
Stull, L. G., McGrew, J. H., Salyers, M. P., and Ashburn-Nardo, L., Implicit and Explicit Stigma of Mental Illness: Attitudes in an Evidence-Based Practice, 1072
Suarez, D., *see* Ochoa, S.
Sullivan, M., *see* Aggarwal, S. K.
Sullivan, G., *see* Hunt, J.
Sullivan, G., Vasterling, J. J., Han, X., Tharp, A. T., Davis, T., Deitch, E. A., and Constans, J. I., Preexisting Mental Illness and Risk for Developing a New Disorder After Hurricane Katrina, 161
Sundet, K., *see* Vaskinn, A.
Spaulding, W. D., *see* Cook, E. A.
Swann, A. C., *see* Verhulst, J.
Swets, M., *see* Meijer, J. H.
T
Talbott, J. A. Physician Examine Thyself, 545
Tanis, T., *see* Cohen, L.J.
Tarasenko, M., *see* Cook, E. A.
Tarrier, N., *see* Holding, J. C.
Tatarelli, R., *see* Comparelli, A.
Temmingh, H., Claassen, A., van Zyl, S., Carrara, H., Dayakalashe, N. M., Myer, L., and Stein, D. J., The Evaluation of a Telephonic Wellness Coaching Intervention for Weight Reduction and Wellness Improvement in a Community-Based Cohort of Persons With Serious Mental Illness, 977
Tharp, A. T., *see* Sullivan, G.
Thatte, S., Makinen, J. A., Nguyen, H. N. T., Hill, E. M., and Flament, M. F., Partial Hospitalization for Youth With Psychiatric Disorders: Treatment Outcomes and 3-Month Follow-up, 429
Thibodeau, M. A., Carleton, R. N., Gómez-Pérez, L., and Asmundson, G. J.G., "What If I Make a Mistake?": Intolerance of Uncertainty Is Associated With Poor Behavioral Performance, 760
Thomas, J. L., *see* Wilk, J. E.
Thompson-Hollands, J., Farchione, T. J., and Barlow, D. H., Thought-Action Fusion Across Anxiety Disorder Diagnoses: Specificity and Treatment Effects, 407
Thornicroft, G., *see* Yamaguchi, S.
Thornton, A. E., *see* Lecomte, T.
Toledo, F., *see* Montes, J. M.
Torgalsboen, A., *see* Hansen, C. F.
Toskovic, O., *see* Lecic-Tosevski, D.
Toukolehto, O *see* Church, D.
Tournikioti, K., Voumvourakis, K., Moussas, G., Plachouras, D., Michopoulos, I., Douzenis, A., Christodoulou, C., Lamboussis, E., and Gournellis, R., Primary Polydipsia: A Case Report, 709
Turnbull, D. L., Cox, B. J., Oleski, J., and Katz, L. Y., The Effects of Borderline Personality Disorder and Panic Disorder on Suicide Attempts and the Associated Influence of Affective Dysregulation in the General Population, 130
Turon, M., *see* Fernandez-Gonzalo, S.
Tracy, M., *see* Nillni, Y. I.
Traeger, L., *see* Knouse, L. E.
Tschan, R., Best, C., Wiltink, J., Beutel, M. E., Dieterich, M., and Eckhardt-Henn, A., Persistence of Symptoms in Primary Somatoform Vertigo and Dizziness: A Disorder "Lost" in Health Care?, 328
Tschan, R., Wiltink, J., Adler, J., Beutel, M. E., and Michal, M., Depersonalization Experiences Are Strongly Associated With Dizziness and Vertigo Symptoms Leading to Increased Health Care Consumption in the German General Population, 629
Tucker, D. M., *Neuropsychological Foundations of Conscious Experience.* Jason W. Brown (2010) Belgium: Les editions Chromatika. 359 pp., 724
U
Ueland, T., *see* Vaskinn, A.
V
Vallance, J. K., *see* Latner, J. D.
Valerius, G., *see* Krause-Utz, A.
Valero, S., *see* Estrada, R. V.
VanBergen, A., *see* Boysen, G. A.
van Balkom, A. J. L. M., *see* van Vliet, I. M.
van Megen, H. J. G. M., *see* van Vliet, I. M.
van Rijen, P.C., *see* van Vliet, I. M.
van Vliet, I. M., van Well, E. P. L., Bruggeman, R., Campo, J., Hijman, R., van Megen, H. J. G. M., van Balkom, A. J. L. M., and van Rijen, P. C., An Evaluation of Irreversible Psychosurgical Treatment of Patients With Obsessive-Compulsive Disorder in the Netherlands, 2001–2008, 226
van Well, E.P.L., *see* van Vliet, I.M.
van Zyl, S., *see* Temmingh, H.
Varghese, D., Scott, J. G., Bor, W., Williams, G. M., Najman, J. M., and McGrath, J. J., The Association Between Adult Attachment Style and Delusional-Like Experiences in a Community Sample of Women, 525
Vaskinn, A., Sundet, K., Ueland, T., Agartz, I., Melle, I., and Andreassen, O. A., Social Cognition and Clinical Insight in Schizophrenia and Bipolar Disorder, 445
Vasterling, J. J., *see* Sullivan, G.
Ventimiglia, M., *see* Arnetz, J.
Verhoeff, A. P., *see* Schrier, A. C.
Verhulst, J., Kramer, D., Swann A. C., Hale-Richlen B., and Beahrs J., The Medical Alliance: From Placebo Response to Alliance Effect, 546
Verkoeijen, P., *see* Peter, M.
Vermeiren, R. R., *see* Colins, O. F.
Vermeiren, R. R. J., *see* Colins, O. F.
Vibha, P., Saddichha, S., Khan, N., and Akhtar, S., Quality of Life and Marital Adjustment in Remitted Psychiatric Illness: An Exploratory Study in a Rural Setting, 334
Vicari, S., *see* Armando, M.
Vingerhoets, A. J.J.M., *see* Peter, M.
von Ceumern-Lindenstjerna, I.-A., *see* Kaess, M.
von Ceumern-Lindenstjerna, I.-A. see von Ceumern-Lindenstjerna, I.-.A 201: 109
von Hippel, C., *see* Brener, L.
Voumvourakis, K., *see* Tournikioti, K.
W
Wang, M., Armour C., Li, X., Dai, X., Zhu, X., and Yao, S. The Factorial Invariance Across Gender of Three Well-Supported Models: Further Evidence for a Five-Factor Model of Posttraumatic Stress Disorder, 145
Waniel, A. see Rothschild-Yakar, L.
Wölfling, K., Beutel, M. E., Koch, A., Dickenhorst, U., and Müller, K. W., Comorbid Internet Addiction in Male Clients of Inpatient Addiction Rehabilitation Centers: Psychiatric Symptoms and Mental Comorbidity, 934
Wagner, H. R., *see* Elbogen, E. B.
Wahlund, B., *see* Liberg, B.
Wahlund, L-O., *see* Liberg, B.
Walsh, E., *see* Haggerty, G.
Walsh, E., *see* Haggerty, G.
Walters, G. D., Dimensions vs. Categories in Psychiatric Diagnosis, 532
Wang, H. R., Song, H-R., Jung, Y-E., Woo, Y. S., Jun, T-Y., Kim, K-S., Bahk, W-M., Continuity of Outpatient TreatmentAfter Discharge of Patients-WithMajor Depressive Disorder, 519
Wang, J., and Zhao, X., Family Functioning Assessed by Self-Reported and Observer-Reported Ratings of Depressed Patients and Their Partners, 384
Warwas, J., *see* Salzer, S.
Watts, B. V., *see* Mills, P. D.
Wei, T., *see* Barnard-Brak, L.
Weinstock, L. M., Wenze, S. J., Munroe, M. K., and Miller, I. W., Concordance Between Patient and Family Reports of Family Functioning in Bipolar I Disorder and Major Depressive Disorder, 377
Weiser, M., *see* Gelkopf, M.
Weiss, M., *see* Lewis-Fernández, R.
Wenze, S. J., *see* Weinstock, L. M.
Werbeloff, N., *see* Gelkopf, M.
Westermeyer, J., and Lee K., Residential Placement for Veterans With Addiction: American Society of Addiction Medicine Criteria vs. a Veterans Homeless Program, 567
White, A. J., *see* Dyer, A.
White, H. J., *see* Pflum, M. J.
Wiberg-Kristoffersen, M., *see* Liberg, B.
Wieczorek, W. F., *see* Zhang, J.
Williams, G. M., *see* Varghese, D.
Williams, P., *see* Nillni, Y. I.
Williams, S., *see* Calleo, J. S.
Wilk, J. E., Bliese, P. D., Thomas, J. L., Wood, M. D., McGurk, D., Castro, C. A., and Hoge, C. W., Unethical Battlefield Conduct Reported by Soldiers Serving in the Iraq War, 259
Wilson, H., *see* Brener, L.

Wilson, N. L., *see* Calleo, J. S.
Wiltink, J., *see* Tschan, R.
Wiltink, J., *see* Tschan, R.
Wirtz, G., *see* Mueller-Pfeiffer, C.
Wittenberg, J., *see* Harper, G.
Wolfman, S., *see* Nitzan, U.
Woo, Y. S., *see* Wang, H. R.
Wood, M. D., *see* Wilk, J. E.
Woodward, S., *see* Babson, K. A.
Woodward, T. S., *see* Balzan, R. P.
Wojnar, M., *see* Jakubczyk, A.
Wren, M., *see* Church, D.
Wu, D., *see* Ku, H.-L.
Wu, S-I, *see* Yamaguchi, S.
Wu, Y., *see* Yen, C-F.
Wu, Y.-W. B., *see* Zhang, J.
Wystrach, C., *see* Ramos, N.
Y
Yamaguchi, S., Wu, S-I., Biswas, M., Yate, M., Aoki, Y., Barley, E. A., Thornicroft, G., Effects of Short-Term Interventions to Reduce Mental Health-Related Stigma in University or College Students: A Systematic Review, 490
Yang, P., *see* Yen, C-F.
Yang, Y.-T., *see* Ku, H.-L.
Yao, X., *see* Wang, M.
Yaroslavsky, A., *see* Stein, D.
Yate, M., *see* Yamaguchi, S.
Yazici, A. B., *see* Yazici, E.
Yazici, E., Yazici, A. B., Aydin, N., Orhan, A., Kirpinar, I., and Acemoğlu, H., Temperament and Character Traits in Patients With Epilepsy: Epileptic Personality, 365
Yen, C-F., Yang, P., Wu, Y-Y., and Cheng, C-P., The Relation Between Family Adversity and Social Anxiety Among Adolescents in Taiwan: Effects of Family Function and Self-Esteem, 964
Z
Zadra A., *see* Duval M.
Zhang, J., Fang L., Wu, Y.-W. B., and Wieczorek, W. F., Depression, Anxiety, and Suicidal Ideation Among Chinese Americans: A Study of Immigration-Related Factors, 17
Zhao, X., *see* Wang, J.
Zhu, X., *see* Wang, M.
Zinman, D., *see* Stein, D.
Zisman-Ilani, Y., Levy-Frank, I., Hasson-Ohayon, I., Kravetz, S., Mashiach-Eizenberg, M. and Roe, D., Measuring the Internalized Stigma of Parents of Persons With a Serious Mental Illness: The Factor Structure of the Parents' Internalized Stigma of Mental Illness Scale, 183
Zito, J. M., *see* Safer, D. J.
Zoellner, L. A., *see* Chen, J. A.
Zumbrunnen, C., *see* Aggarwal, S. K.